630.7 IL6c no.1089 University of Illinois Library at Urbana-Champaign ACES



1973 Performance of Commercial Corn Hybrids in Illinois

Circular 1089/University of Illinois at Urbana-Champaign College of Agriculture/Cooperative Extension Service

CONTENTS

PLAN OF THE TESTS
MEASURING PERFORMANCE
GROWING CONDITIONS AT 1973 TEST FIELDS
SOURCES OF SEED
RESULTS OF VARIETY TESTS
Extreme Northern Illinois: Woodstock
Northern Illinois: DeKalb
East North-Central Illinois: Elwood8
West North-Central Illinois: Galesburg
West-Central Illinois: Carthage13
Central Illinois: Hartsburg14
East-Central Illinois: Urbana16
West South-Central Illinois: Greenfield20
Southern Illinois: Brownstown22
Extreme Southern Illinois Upland: Carbondale24
Extreme Southern Illinois Bottomland: Dixon Springs26

This circular was prepared by G. L. Ross, Assistant Agronomist, J. F. Duncon, Assistant Agronomist, and D. W. Graffis, Professor of Forage Crops Extension. Data processing was done by the Statistical Laboratory of the Agronomy Department. S. G. Carmer, Professor of Biometry, supervised the analysis and preparation of the data.

Urbana, Illinois December, 1973

Issued in furtherance of Cooperative Extension Work, Acts of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture. JOHN B. CLAAR, Director, Cooperative Extension Service, University of Illinois at Urbana-Champaign.

The Illinois Cooperative Extension Service provides equal opportunities in programs and employment.

PERFORMANCE OF COMMERCIAL CORN HYBRIDS IN ILLINOIS, 1973

(With 1971 and 1972 Listings)

Corn yields in Illinois in 1973 are estimated to average 105 bushels per acre. This is a decrease from the 1972 high of 110 bushels. Acreage planted increased to 9,580,000 acres. Thus the total production of corn in Illinois was 1.005 billion bushels, slightly more than in 1972 but below the 1971 production. Due to a wet fall in 1972, very little fall plowing and fertilizer spreading was completed during the winter. A wet March and April kept many farmers out of the fields until almost May. By the first week in May, only about 5 percent of the corn acreage had been planted. Frequent rains in May delayed planting of many acres until June and some of those that were planted in wet ground were slow in coming up and uneven in emergence.

Heavy localized rainfall in June resulted in flooding numerous areas, some more than once. But rainfall was adequate to provide a chance for a good corn crop. The temperature was high in June and July and the rainfall was erratic. August was moderate and rainfall was slight. It appeared that the crops were not hurt by drouth but still needed time for proper maturing. September was warm and the late-planted crops were helped by the absence of frost. October was dry and warm with only a few days with gusty winds. Stalk rot was not as noticeable as in 1972. There was little loss due to stalk rot because the dry harvest season allowed rapid, timely harvesting and no severe winds developed to lodge the infected corn. Harvest was virtually completed by November 15 throughout the state. There was an unusually large amount of fall plowing done throughout Illinois.

Plan of the Tests

Selection of entries. Each year all producers of hybrid seed corn in Illinois and surrounding states are invited to enter hybrids in the Illinois performance trials. This testing program is financed by a fee of 30 dollars for each hybrid at each location entered. Most of these hybrids are commercially available, although a few experimental hybrids are also entered. In 1973, a survey of popular hybrids was conducted among county extension advisers and the ten most popular hybrids at each location were added to the trials. These hybrids are marked by an asterisk (*) in the tables.

Number and location of tests. In 1973, 20 major tests were conducted at 11 locations in the state (see map on page 2). These sites represent major soil and climatic areas of the state.

Hybrids. Over 400 hybrids from 58 companies were tested in 1973. Seed for the trials was obtained by the University of Illinois staff from warehouse stocks whenever possible.

Field-plot design. Three or four replications of lattice design were used, thus assuring each entry an equal chance to show its merits.

Planting methods. All trials were planted by hand. All test fields except those at DeKalb, Carthage, Urbana, and Dixon Springs were part of larger cornfields and thus were bordered by other corn. Each hybrid plot was overplanted 30 percent and later thinned to desired stands. Each plot was four rows wide and 28 feet long. The center two rows of each plot were harvested to determine yields.

Fertilization. All test fields were at a high level of fertility. Additional fertilizer was plowed down or side-dressed as needed to assure top yields.

Method of harvest. All plots were harvested with a self-propelled combine. Shelled corn from each plot was collected, weighed, and tested for moisture content. No allowance was made for corn that might have been lost in harvest.

Measuring Performance

Occasionally hybrids too late in maturity for a given area are entered in these tests. Such hybrids are often high in yield but their moisture content may make them poor choices for farm use unless proper drying or storage facilities are available.

Yield of grain. Shelled-corn weight and moisture percentage were measured for each plot of a hybrid and converted to bushels per acre of No. 2 shelled corn (15.5 percent moisture). An electronic moisture tester was used for all moisture readings.

Erect plants. The number of erect plants in each plot of a hybrid was counted at harvest time. Any plant leaning at an angle of more than 45 degrees or broken below the ear was considered lodged. Plants broken above the ear were considered erect.

Stand. In late June, plants in all plots on all fields were counted and the percent of stand was computed by comparing this number with the number of kernels planted. Plots with over 100-percent stand were thinned at this time. Stand differences may be caused by failure to germinate or by disease, insect injury, cultivation, or animal pest damage.

Plants per acre. Plants per acre were calculated

for each plot by using the percent stand obtained from plant counts. Differences in plants per acre and differences in percent stand are caused by the same factors.

Comparing hybrids. In any test of plant material, it is impossible to measure performance exactly. Samples may vary, soils may not be uniform, and many other conditions may produce variability. Results of repeated tests, like those reported in this circular, are more reliable than those of a single year or a single strip test. In general, a yield difference of a few bushels per acre is not significant in these tests. When one hybrid consistently outyields another at several test locations and over several years of testing, the chances are good that this difference is real and should be a consideration in choosing a hybrid. But yield alone is not enough. Consider also the grain moisture content, percentage of erect plants, percent stand, or plants per acre in comparing yields.

As an aid in comparing hybrids, certain statistical tests have been devised. D. B. Duncan¹ has outlined an approach to the problem of multiple comparisons when only two means are compared among a set of hybrid means. Certain factors not accounted for in previous tests of this type are included in Bayes L.S.D. This

test is applied in the same manner as previous statistical tests used in these circulars. When two hybrids in a trial are compared, and the difference between them is greater than the tabulated L.S.D. value, then the hybrids are said to be "significantly different."

Growing Conditions at 1973 Test Fields

Extreme Northern Illinois: Woodstock. This test field represents the cool, humid area in northeastern Illinois. The test plot is on land operated by the Hughes Farms and Seed Company, Robert and Earl Hughes, Jr., cooperators. The soil is Proctor silt loam, a fertile, deep, well-drained, dark prairie soil. Very wet and cool weather in April and May slowed field work, and planting at this location was delayed until June. The shortened growing season resulted in smaller yields than expected.

Northern Illinois: DeKalb. This test is on the University of Illinois' Northern Illinois Research Center south of DeKalb. R. E. Bell is the field manager and D. L. Mulvaney is the area agronomist in charge of research at the Center. The soil is Flanagan silt loam, a dark-brown, adequately drained soil of high fertility. The growing season started off wet and cool but a few days without rain in May allowed many acres

Table 1. — General Information: Illinois Hybrid Corn Tests, 1973

Field, county, location, and number of entries	Date planted	Date harvested	Aver. acre yield	Mois- ture in grain	Erect plants	Average population
40 1 1 2 20 000 1 4 4 2 2 2			bu.	perct.	perct.	
40-inch rows, 20,000 plants per acre Woodstock: McHenry, Ex. N, 76	Tune 1	Nov. 5	84	23.9	97	15,193
38-inch rows, 24,000 plants per acre	3					,
Hartsburg: Logan, C, 111	May 21	Oct. 29-30	(112)	19.2	94	18,303
30-inch rows, 18,000 plants per acre						
Brownstown: Fayette, S, 57	May 22	Oct. 25	105	18.1	98	17,141
Carbondale: Jackson, Ex. S, 43	May 18	Oct. 1-2	31	24.3	99	16,873
30-inch rows, 20,000 plants per acre	M. 10	NT C	110	٥٥ ٣	0.4	17 000
DeKalb: DeKalb, N, 48	May 19 May 15	Nov. 6 Oct. 15	112 130	20.5 23.3	94 93	17,098 19,321
Urbana: Champaign, EC, 64	May 11	Oct. 24	180	20.5	99	17,918
Greenfield: Macoupin, WSC, 52 Dixon Springs: Pope, Ex. S, 44	May 14 June 26	Oct. 18 Nov. 13	87 10 7	21.5 30.5	97 86	18,160 19,453
	June 20	NOV. 13	107	30.3	80	19,433
30-inch rows, 22,000 plants per acre Brownstown: Fayette, S, 81	May 22	Oct. 25	114	18.9	99	21,151
Carbondale: Jackson, Ex. S, 58	May 18	Oct. 1-2	47	24.6	99	20,977
30-inch rows, 24,000 plants per acre						
DeKalb: DeKalb, N, 116	May 19	Nov. 6	114	22.0	94	21,383
Galesburg: Knox, WNC, 114	May 15	Oct. 15	134 84	23.1 27.4	90	22,754
Elwood: Will, ENC, 84	May 16 May 23	Oct. 9 Oct. 1	84 96	21.4	92 89	22,360 22,217
Urbana: Champaign, EC, 146	May 10	Oct. 23	175	20.8	97	22,381
Urbana: Champaign, EC, 16, 0-2	May 10	Oct. 23	139	18.2	100	19,705
Greenfield: Macoupin, WSC, 78 Dixon Springs: Pope, Ex. S, 70	May 14 June 26	Oct. 18 Nov. 13	113 109	20.7 29.5	94 81	21,901 22,353
7	3 2 - 4					



¹ Duncan, D. B., "A Bayesian Approach to Multiple Comparisons," *Technometrics*, 7:171-222, 1965.

of corn to be planted. Heavy rains in late May drowned out many low areas in the fields and they stayed wet until late June. June, July, and August had moderate rainfall and excellent growing conditions.

West North-Central Illinois: Galesburg. This test is located on the Hawkinson Farms, operated by Harold and Dave Hawkinson. The test field was a highly fertile, heavy-textured, Sable silty clay loam. Planting was timely as rainfall during May was below normal in the area. Growing conditions in June and July were ideal while August was low in rainfall and yields were less than anticipated. The corn matured earlier than usual and harvest was completed before lodging was severe.

East North-Central Illinois: Elwood. This test is on the Northeastern Illinois Agronomy Research Center in Will County. Dale Harshbarger is field manager and D. L. Mulvaney is in charge of research at the Center. The test is on an area of Drummer silty clay loam. Growing conditions started out excellent with timely planting and sufficient rainfall in May and June. However, the area received virtually no rain in July and August. Harvesting was started early because stalk rot and corn borer damage was causing noticeable stalk breakage and lodging.

West-Central Illinois: Carthage. This test is located on the Illinois Agronomy Research Center at Carthage in Hancock County. The soil is an Ipava silt loam. Planting was in late May due to wet soils in April and May. June rainfall was low and there was almost no rainfall in July. August rainfall was low and yields were about one-half of what was expected.

Central Illinois: Hartsburg. This test is located in Logan County on land adjoining the Hartsburg Agronomy Research field. The plot is on land operated by Lee Newby. The soil is Hartsburg silty loam. The field had almost ideal growing conditions until mid-August when a high wind caused severe lodging

Table 2. — Growing Season Rainfall

Field	April	May	June	July	August
Woodstock. DeKalb. Galesburg. Elwood. Carthage. Urbana. Greenfield. Brownstown.	5.07 3.59 5.18 4.51 3.79 4.85 3.81 3.37 6.74	5.83 5.78 2.98 5.20 3.30 3.35 4.38 3.58 6.68	inches 4.48 2.90 3.36 3.30 2.08 2.99 8.56 7.30 4.06	3.36 3.72 4.23 1.20 .51 8.15 2.60 3.91 3.37	1.44 1.20 1.76 1.10 2.04 3.09 1.85 2.28 2.18
Carbondale Dixon Springs Hartsburg	5.44 6.81	3.40 3.96	2.20 6.35	5.30 4.11	1.72 5.00

throughout most of the area. Yields were very reflective of the severe lodging.

East-Central Illinois: Urbana. This test is located on the Agronomy South Farm of the University of Illinois at Urbana-Champaign in Champaign County. M. G. Oldham is the farm manager. Fields on which the test plots were grown are level, heavy-textured Drummer silty clay loam. Growing conditions at this location were ideal this year with over 8 inches of rain during August which boosted yields far above normal.

West South-Central Illinois: Greenfield. This test represents the moderately poorly drained soils of western south-central Illinois. The soil is Herrick silt loam. The plot is located between Palmyra and Greenfield in Macoupin County on a farm operated by C. H. Ross, Jr. The field was in an area that was very flat and poorly drained. Heavy rains in late May and early June stunted the corn and low rainfall in August prevented a normal yield.

Southern Illinois: Brownstown. This test is located at the University of Illinois' Brownstown Experimental Field in Fayette County. D. E. Millis is the area agronomist in charge of research at the field. The soil is Cisne silt loam, a poorly drained, gray prairie soil with a well-developed claypan. Growing conditions were excellent throughout the year and harvesting was completed before stalk breakage was severe.

Extreme Southern Illinois Bottomland: Dixon Springs: This test is located at the University's Dixon Springs Agricultural Center in Pope County with George McKibben cooperating. The test plot was located on Sharon silt loam, a light-colored, moderately well-drained, medium-textured bottomland soil. A planting was made on May 25. A few days later the plot was under 10 feet of water and it was not until June 26 that a successful planting was made. The growing season was short. A late harvest date allowed the corn to mature and dry adequately in the field. Lodging was severe on a number of varieties while not noticeable on others.

Extreme Southern Illinois Upland: Carbondale. The test at Carbondale represents the typical upland area in southern Illinois. The test is located on a field adjoining the Southern Illinois University Agronomy Research Center where Roy Browning and George Kapusta are cooperating agronomists. The soil type is Weir silt loam which is a shallow silty loam over claypan. Growing conditions were favorable up until mid-July. Then it was dry until late August resulting in very low yields of corn.

Sources of Seed

A C C O C . 1	A 1 C1 .	D 0 D 1 1 1 1 1 10 10 10 1
	Anderson-Clayton	
	.The Anderson's	
Asgrow Hybrids	Asgrow Seed Co	Oxford, IN 47971
Bo-Jac Hybrids	.Bo-Jac Hybrid Corn Co	
	. Cargill Seeds.	
C.I. Seed	. Central Illinois Seed Co	Springfield, IL 62707
	. Coker's Pedigreed Seed Co	
	.Farmland Industries, Inc	
	. Cornelius Seed Corn Co	
	. Malcolm H. Grieve	
	. Crow's Hybrid Corn Co	
DeKalb Hybrids	. DeKalb Ag Research, Inc	DeKalb, IL 60115
Dockendorff Hybrids	. Dockendorff Hybrids, Inc	
F.S. Hybrids	.F.S. Services	
	. Farmers Hybrid Co's., Inc	
	.Federal Hybrids	
	.Funk Seeds International, Inc	
	. Williams Grain Co	
	.Fred Gutwein & Sons, Inc	
	. Hoblit Seed Co	
	. Holden Foundation Seeds, Inc	
	.Hughes Hybrids, Inc.	
	Ferry Morse Seed Co.	
	.Kamp's Farm Seed	
	Pfister Hybrid Corn Co	
	Frank W. Lewis & Son Seed Farms	
	McAllister Seed Co., Inc.	
	W. O. McCurdy & Sons.	
	McNair Seed Co.	
	Midwest Seed Growers Assn., Inc.	
	Moews Seed Co	
	Roy A. Morton & Sons, Inc.	
	Muncy Chief Hybrids	
	Northrup, King and Co	
	O's Gold Seed Co., Inc.	
O-V-O Hybrids	O-Y-O Seed Associates, Inc.	Marysville OH 43040
	.P.A.G. Seeds	
	Pioneer Hi-bred Corn Co. of Illinois	
	Pocklington Bros. Seed Co	
	Prairie Stream Farms, Inc.	
· · · · · · · · · · · · · · · · · · ·	Pride Co., Inc	
	Princeton Farms	
	.Renk Seed Co	
	Rothermel Seed Co	
	Sieben Seed Co	
	.Stewart Hybrids, Inc.	
	Stull Hybrids, Inc	
	.Eugene Dallmier	
	Edw. J. Junk & Sons	
	Taylor-Evans Seed Co	
	L. Teweles Seed Co	
	Todd Hybrid Corn Co., Inc.	
	Tracy & Son Farms, Inc	
	Trisler Seed Farms, Inc.	
	Trojan Seed Co	
	Van Horn Hybrids, Inc	
	Whisnand Hybrid Corn Co	
	Wyffels Hybrid Seeds	
vv yneis rrybrids	wy y itels 11y brid occus	I otherway in other

Table 3. — Extreme Northern Illinois: Woodstock (Planted at 20,000 plants per acre in 40-inch rows)

												,
BRAND AND VARIETY	F	IU./ACR	E	Р	ERCENT		Р	ERCENT		PLAN	TS PER	ACRE
		1972			1972			1972		1973	1972	1971
ACCS EXP. 4201	98			25.5								
ACC0 UC 3301	105	136	152	25.5	19.1	19.3	96 97	92	100	14523	17666	16833
АССИ UC 3601	79. 87	134	129	55.0	20.8	23,3	95 100	86	100	16587	17051	18000
CARGILL #49	95			53.5		,	97			15952	* , 6 3 1	10000
CARGILL 875	, 72 69	4 0 7		23.8	24 6		98			15238		
COPNELIUS C365 X	91	143		23.8	21.4		98 95	90		17142	18308	
CORN KING 1122	77 87	147	133	23.9	50.8	20,1	95 100	97	98	15952	17106	18000
DEKALH XL 454*	9.8			24.1			99			17063		
FUNKS 26189	78			21.2			93			13809		
FUNKS G=4195	86 77			22.8			94 94			14761		
FUNKS G=4252	77			19.0			96			14682		
FUNKS G=4343	88 70			19.8			99 95			14206		
FUNKS G-4444*	84			26.0 24.3			96			14841		
GUTWEIN 10A	70 69			19,0			98 98			16031		
GUTWEIN 40				21.8						13730		
GUTWEIN 116	74 93			21.9			96 94			15793		
HUGHES EXP.34172	100			25.4			98			16507		
HUGHES EXP.36712	86 82	134		24.9	18.5		94 96	96		16666 17063	17529	
HUGHES SLX19	78			22.7			98			14761		
HUGHES SLX20C	84 92	141	139	23.2		21.9	97	91 97	100	14523	17922	17666
HUGHES SLY33	76	137		26.3	c1.0		98	71		16904	11005	
LESTER+PFTSTER 15	91	134		25.6	55.5		98	96		15714	17944	
LESTER-PFISTER 17	84 82	128		20.6			96 94	87 95			17903 17945	
LESTER PFISTER 23	95	144		23.3			94	96			17669	
MCCURDY 36M	78 80			22.9			97 98			14920 15634		
										•		
MCCUROY MSX15A	74 95			23.0			97 97			17301		
MIGRO M-1130	8.6			22.9			96			15158		
MIGRO M=3020	88 80			24.1 32.2			94 95			15000		
MIGRO M-6666	87			31.4			97			14126		
M0EWS SM220	79 80	124	160	19.8	19,6	22,4	98 95	90 92	100	12936	18265	18000
MOEWS SH229	80	119	134	25.0	50.0	21.7	96	90	100	16269	17321	
MOEMS SH332	97	143	139	55.6	20.0	55.6	99	96	98	15079	16988	17333
MOEWS WMPPD	62 94			20,9			93 96			13174		
Ø, S GOLD SX1100	68			22.6			98			15634		
9°S GULD SX1101	76 99			22.3			98 96			16031		
P.A.G. Sx 69*	81			22.6			94			12142		
PIONEER 3571*	99			24.9			96			14761		
PRIDE R-450	74 92	145	155	21.0	20.7	21.4	98 96	94	98	11746	17347	17833
PRIDE R-501	71	131	141	23.0	8.05	21.9	97	89	100		17119	
PRIDE R-522	77	135	141	22.9	20.7	21.9	96	86	100	16507	17686	17666
RENK REJAA	76 86			23.0			95 94			14603		
SEAGULL SX 20	79 88			22.4			95 94			14206		
SEAGULL SX 33		45.5	4.70	24.8	24. 2	24 -		0.	1.50	16587	48.000	4.0000
SUPER-CROST 2772	95 91	150 149	134	24.9	21.0	21.3	95 94	96 96	100	15555	17438	
SUPER-CROST 5440	85 81	151	141	30.0	20.7	22.2	100	95	100	15000 15476	17376	17833
SUPER-CROST \$63	86	139	155	25.3	51.5	21.8	96	45	100		16334	
TAYLER-EVANS NARKETMAKER	80	1.52	148	23.7	21.7	19.0	97	84	100	14047	16582	17666
TAYLOR-EVANS SUREMAKER	74 74	127	142	21.1	19.0	18.8	97 96	92	100	14206	17373	17666
TRACY TROOSX	85			23.4	,	•	95			16349		
TRAJAN TX 105 course resource constant	75			22.5			95			14126		

Table 3. — Woodstock, continued

BRAND AND VARIETY		TMTAL Y1ELD BU./ACRF			GRAIN MOISTURE PERCENT			CT PLA ERCENT		PLANTS PER ACT		
	1973	1972	1971	1973	1972	1971	1973	1972	1971	1975	1972	1971
TROJAN TXS 108A	93	162		24.5	21.9		99	92		16984	14852	
PROJAN TXS 111	90	130		28.3	24.2		96	96		16587	17692	
ROJAN TX 113	84			59.9			97			15873		
ROJAN TXS 113	100	141		26.5	24.1		96	96		14682	16584	
YFFELS W=26	102			25.4			97			14205		
YFFELS W-500	77			31.8			100			13650		
AVERAGE OF 1973 ENTRIES	84			23.9			97			15193		
L. S. O	21			1.9			5			3400		
C. V	14											

Table 4. — Northern Illinois: DeKalb (Planted at 20,000 plants per acre in 30-inch rows)

AND AND VARIETY	8	AL YI BU./ACR	E	P	MØIST ERCENT		P	CT PLA ERCENT		-	S PER	ACRE
	1973		1971	1973		1971	1973		1971		1972	1971
CO EXP. 4201	110			21.8			97			18125		
CØ U 370	122	141		20.7	21.1		89	88		17890	15777	
CØ UC 3601	117	142		20.5	25.3		94	82		16484	14888	
CØ UC 4501	81	4.70		23.0		25.4	95			14062		
C0 UC 5801	111	138	153	21.1	55*5	25.1	91	74	98	16875	16444	1////
CO UC 6601	99			22.1			97			16484		
GROW RX53	99			18.2			95			18437		
GGRØW RX58	109			19,5			95			15781		
KER, S 16	127			23.6			95			16171		
RNELIUS 384X	119			50.3			95			18750		
RNELIUS SX36A	105	160	162	19,9	19.7	26.4	97	93	94	18125	15111	17777
ORN KING 2300	114	144	149	21.3	21,5	24.8	94	77	100	16718	14666	18000
JNKS 25792	113			18.9			95			18593		
INKS 26191	113			18.3			93 94			19218		
JNKS 26215.,,	109			18.9			74			100/1		
JNKS G-4343	99			16.6			95			17578		•
INKS G-4366	122			19.4			94			16718		
JNKS G-4404	112			50.5			92			18046		
INKS G-4444	98			19.6			86			16406		
JNKS G-4445	114			19.9			92			10165		
INKS G-4567	120			20.7			94			16093		
JGHES EXP. 36712	118			21.7			93			17265		
JGHES SLX33	100			18,1			94	78.0		16171		
CALLISTER SX7032	152	153		19.7	50.8		96	78		17812	15777	
CALLISTER SX7066	111			19.4			95			16640		
COURDY MSX54	111			20.5			95			16484		
CCURDY MSX55	117			20.0			97			14296		
NEWS M2221	125	127		20.5	21.9		93	91		17578		
MENS SH220	96	132	150	16.7	18.8	21,2	92	85	100	17812	16656	17111
BEWS SM223	96			17.5			93			17421		
TEWS SM229	112	123	156	19.8	21.2	25.5	91	87	100	15546	16444	17555
TENS SM331	92	131		18.5	8.55		89	73		17656		
TEWS SM332	118	135	152	18.0	19.9	23,8	93	87	100	15859	17111	17555
EM8 MW550	96	4.79.4		17.8	20.4	2 0	95	20	0.0	18750	4 4 11 11 11	12222
RIDE R-450	109	134	170	19.4	20.1	24.8	93	90	90	18359	10444	1////
RIDE R#601	96	137	158	20,5	21.9	26.3	91	94	100	13828	16888	17777
RIDE R-694	141			20.7			96			18203		
JPER-CROST 2772	105	129		19.5	21.5		88	93		18203		
JPER-CROST 4242	138	147		20.5	20.7		92	88		15781	16666	
PER-CROST 5440	136			23.2			99			16640		
JPER-CROST S63	120	133		19.6	18.1		95	88		16328	18000	
AYLOR-EVANS CASHMAKER	89			23.7			9.8			17265		
AYLOR-EVANS MASTERMAKER	112	103		30.2	26.5		95	94		16562	18000	
ROJAN TX 105	103			19.1			96			17890		
ROJAN TXS 1084,	140			19.5			95			18906		
ROJAN TX 111,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	123			20.5			94			17500		
ROJAN TX 113.,	112	137			24.7		95	90		18437	17111	
ROJAN TWS 113	116	143	186	23.5	52.3	30.9	99	94	100	18803		17555
AUCDACE OF ADDRESS CHEET												
AVERAGE OF 1973 ENTRIES	112			20,5			94			17098		
C. V	13						7			N.5.		

Table 4a. — Northern Illinois: DeKalb, Increased Planting Rate (Planted at 24,000 plants per acre in 30-inch rows)

*3*************************************				GRAIN				CT PLA		*************
BRAND AND VARIETY	Ŀ	U./ACR	E	þ	ERCENT	,	Ь	ENCENT	•	PLANTS PER ACRE
	1973		1971	1973		1971		1972	1971	1973 1972 1971
ACCO U 348	108 114	151 -150	169		22.1	8.25	98 86	80 84	97	21866 21099 22533 20966 23333
ACCO UC 3601	98	. = =		22.7			94			23600
ACCO UC 5801	118	152		23.5	22.7		91 94	77		21600 19714 18400
ASGROW RX60	108			20.3			8.8			22266
B0-JAC EXP. 4146	152			23.9			91			21466
80=JAC EXP.5543	113			23.8			96 98			21200 21200
BO-JAC EXP, X2212	105			21.0			94			18800
80-JAC x22	98			19.3			92			23066
80-JAC X37	144			50.6			94			23466
CARGILL 870	112 98			21.9			83 93			50666 53500
CARGILL 875	113			20.2			92			22400
CORNELIUS C663X	94			23.5			95			21600
CORNELIUS SX36A	118	161	160	21.5	8,55	27.0	91	95	100	23066 21702 23111
DEKALB XL 44*	121 106			23.4			99 88			20000 19600
DEKALB XL 64*	135			24.5			93			19200
DEKALB XL 66*	141			23.9			96			22133
F.S. 242*	109			21.9			92			20533
FARMERS 4229XL	116			19.3			95 96			22133 16533
FARMERS 4525XL	124			21.4			94			53500
	424			20.4			94			20400
FUNKS 26191	121 93			20.9			91			23600
FUNKS G-4343	94			18.1			75			20933
FUNKS G=4366	132			20.5			87 86			21600 21466
FUNKS G=4444*	124			20.4			95			20800
FUNKS G=4445*	135			21.6			97			50000
FUNKS G=4567	131 95			22.7			93 89			21600 20800
GUTWEIN 42	146			23.5			97			21733
GUTWEIN 48	103			20.4			92			22666
GUTWEIN 128	123 142	191		20.7 18.8	20.0		91	80		20800 21600 19261
HØLDEN 1006	137	171		8.85	£0.00		93			23466
HUGHES EXP. 39262	95			24.8			93			21333
HUGHES EXP. 40303	143	180	161	23.8	22.9	3.0 0	97	91	1.00	23200 21532 21066 21798 23777
HUGHES SLX20	117	133	107	18.8	63.3	<u>⊆</u> ₩ ⊕ Ч	92		100	20400
HUGHES SLX33	115	177	4.00	22.3	22.4	26.3	97	79	0.0	19866 21866 21194 24000
LESTER-PFISTER 15	92	133	140	25,6	23,6	26.2	74	19	77	
LESTER-PFISTER 17	102	121	129 169	22.7	24.5	26.9	96 95	88	100	24000 22277 24000 22133 19310 24000
LESTER PFISTER 23	110	150	107		20.9	2,42	90	83	,,	19200 23333
MCALLISTER SX7032	106	4 4 0	. 77	22.6	24.4	2.0	94		0.0	21600
MCALLISTER SX7066	114	168	173	20.7	51.1	24.8	95	81	99	22656 22597 24000
MCCURDY 72=23	105			20.5			91			22266
MCCURDY MSX44	116			21.9			93 94			22533 20800
MIGRØ M-0501	124	170	155	22.1	1.55	30,6	93	88	99	18933 20368 23777
MIGRØ M-1130	97			19.9			93			21466
MIGRØ M-3020MIGRØ M-5040	114	151		21.5	23.0		96 93	82 73		20800 18986 22133 22118
MIGRØ M=6666	155	150		27.7	C1.0		97	13		\$080u \$8133 Setto
MOEWS M2221	131	153	154	21.5	50.8	24.4	97 91	95 78	1,30	20800 18519 21333 20914 23777
	106	141	134	19.3		21.1	-		103	
M0EWS \$M223	98 122	144	144	18.4	18.1	25.7	93	# 2 91	100	21733 21122 23133 21222
MOEWS SM331	78			9.65			86	-		22133
MOENS WM220	119 104	145	153	19.6	5u*8	24.7	88 93	88	100	20400 18057 23777 19866
				- •			-			·
MUNCY-CHIEF H764	112	166 156			24.8		92 97	73 95		19066 22568 20400 19212
MUNCY-CHIEF SX777	113	140		24.6	24.5		8.9	76		21600 18839
MUNCY=CHIEF SX878	132 104	178		26.9	27.2		94 90	94		21466 20479 21733
*********************										***************************************

Table 4a. — DeKalb, Increased Planting Rate, continued

BRAND AND VARIETY	T Ø 1	AL YI	ELO E	GRAIN	MOIST	URE	ERE	CY PLA	NTS	PLANT	S PER	ACRE
		1972			1972					1973		
					****					•••••		
0'S GOLD SX3200	94			26,5			92			21600		
0'S GOLD 3X5500A	142			9,55			94			21066		
P.A.G. \$X 53	96 118			23.5			94 96			20800		
P.A.G. SX 69	101			23.5			94			55000		
				,			, ,			2.2000		
PIONEER 3571*	115			8.55			93			20133		
POCKLINGTON P-4341	86			24.7			92			22133		
PRAIRIE STREAM GOLDEN CROSS SX3 PRIDE R-450	108	160	145	20.0	22.0	25.6	95 97	88	100	22800	21558	24000
PRIDE R-601	87	168	134	22.5	22.6	28.4	85	59	100	20533		
											•	
PRIOE R-694	133	47.	453	1,55	4.0.0	27.0	95	0.1	4.60	55000	22121	93000
RENK RK44	127	131	157	21.0	19.9	23.0	94 93	91	100	23333	22195	23555
SEAGULL SX 2DA,	132			18.4			97			19600		
SEAGULL SX 33	113			21.6			91			18400		
SEAGULL SX 40	134			24.4			95			20527		
STEWART SX49	113			21.7			95 86			20533		
STEWART SX54	113			21.9			90			21056		
SUPER-CRUST 2552	89	158	156	20.1	20.4	24.5	92	98	100		23007	23555
SUPER-CROST 2772	127	163	153	20.7	1,55	26.2	94	95	99	20933	20343	24000
SUPER-CRAST 4242	119	156	149	24 //	22 5	24.4	o'n	85	0.0	21066	20702	22///
SUPER-CROST 5440	140	100	147	21.4	22,5	26.6	92 97	ده	99	18533	60205	25000
SUPER-CRUST \$25	106	175	159	18.7	20.5	24.3	90	86	98	22400	23122	23111
SUPER-CRUST S27	126	143	155	21.0	21.0	25,3	95	93	99	55566		
SUPER-CRUST \$63	104	136	156	8,05	50.0	27.4	84	85	99	55000	21255	SSUNO
SUPER-CROST S67	100			27.6			99			\$5000		
TEWELES EXP. 3D215	128			21.0			94			20800		
TEWELES EXP. 3535	131			7.15			94			22533		
TEWELES TXT92	99	185		23,1	55.0		93	89		88400	22738	
TØNO 1731	78			20.1			95			20133		
T000 1732	84			8.05			98			20133		
TOOD 1734	92			20.9			93			20400		
T000 M30	109	130	159	21.1	22.7		93	85		22933		
TUDD M55 TUDD M70	89 9 2	167	1 35	21.4	18.8	25.0	97 97	79	100	22400	21007	24000
	, _			1, 7 0 4			,,			1.0000		
TRACY T2075X	107			19.4			90			23466		
TRACY TROOPSX	106	143	164	21.7	21.1	27.8	95	79	9.8	21066	19976	24000
TRACY T315TROJAN TXS 99	139 105	149		19.8	19.7		93 98	95		22133	22718	
TROJAN TX 105	102	147		50.6	1.44.		94	,,		18533	CETTO	
				·								
TROJAN TYS 108A	152			20.5			93			21866		
TROJAN TX 113TROJAN TXS 113	118	178		25.7	23.7		96 92	85		21600	AARCC	
WYFFELS W-26	116	110		20.7	€301		94	73		23066	C 5 7 7 7	
WYFFFLS %-60	142			23.9			97			21333		
	115	167		21.2	20 B		100	88		22400	20284	
WYFFELS W=500	115	101		<1.5	8.0S		I titi	20		eequii	EUFOR	
AVERAGE OF 1973 ENTRIES	114			0.55			94			21383		
L. S. D	24			1.7			6			5 3 00		
C. V	14											

Table 5. — East North-Central Illinois: Elwood, Increased Planting Rate (Planted at 24,000 plants per acre in 30-inch rows)

BRAND AND VARIETY		TOTAL YIELD BU./ACRE			ERCENT	FIRE	ERECT PLANTS PERCENT			PLANTS PEP ACRE		
	1973	1972	1971	1973	1972	1971	1973	1972	1971	1973	1972	197
ACCØ EXP. 71-6901	75			32.2			91			22625		
CCØ UC 5301	92			28.5			89			22375		
CC0 UC 6601	78			29.0			89			23750		
CC0 UC 9101	99	143	133	30.6	20.5	26.5	89	72	100	20375	55886	2400
CC0 UC 9301	114	145		32.0	21.9		96	74		23125	23603	
SGRØW RX53	76			24.0			96			22500		
SGPOW HX60	77			22.6			88			23250		
0-JAC EXP.3555	115			28.0			85			23250		
0-JAC EXP.5543	7 2			29.1			98			53000		
0-JAC EXP.6229	79			29.3			42			23625		

Table 5. — Elwood, Increased Planting Rate, continued

********************************												*****
BRAND AND VARIETY		TAL YI			MOIST			CT PLA ERCENT		PLANT	3 PER	ACRE
		1972			1972			1972		1973	1972	1971
		• • • • • • •										
B0-JAC EXP. X2212	75			24.9			89			20625		
80-JAC X22	73			21,3			89			23250		
B0-JAC X 51A	103 54			27.6			96 96			20875		
DEKALB XL 43*	103			26.1			97			55000		
DEKALB XL 44%	92 80			27.1			98 96			22500		
DEKALB XL 45A*	105			28.2			98			21625		
DEKALB XL 66*	98			29.8			97			55000		
FUNKS 25792	73			24.2			90			22500		
FUNKS 26191	66			23.8			92			22000		
FUNKS G=4343	59			22.9			81			20750		
FUNKS G-4366	105			24.7			81			21250		
FUNKS G=4404 FUNKS G=4444*	54 81			27,3			83			22750		
FUNKS G-4445*	90 85			26,5			96 95			23000		
FUNKS G-4628	108			34.3			93			22125		
FUNKS G-4646	89			30.8			98			23125		
GUTWEIN 40	73	141	137	25.5	17.8	20.7	86	92	98	22625	24225	24000
GUTWEIN 48	74			25.6			98			23625		
GUTWEIN 62	01			30.5			98			21375		
GUTHEIN 69A	90	145	132		18.9	23.0	79	85	97	23125		55555
HUGHES EXP.26323	64 93	142		24,2	17.9		89	9.3		23250	22149	
	, ,						. ,					
HUGHES EXP. 40303	76	146	4 4 7		21.1	24 8	97 92	98 91	100	23125		27777
HUGHES SLX20	71 66	133	117	23.9	19.0	21.8	94	95		22250		
LESTER-PFISTER 15	85	141			18.9	• / • ·	97	90		55155		
LESTER-PFISTER 17	86	140		28.1	20.1		96	8.5		21750	22798	
LESTER-PFISTER 19	89	154		25.9	17.7		88	82		23250	24223	
LESTER PFISTER 23	81	137			18.8		92	86		21625		
MCALLISTER SY6837	77	131	134		21.9	27.5	100	77		22875		
MCALLISTER SX7032	76 119	137	155		19.7	23,6	92 91	69 40	100	22125		63333
	,											
MCALLISTER SX7207	118 59			29.9			92 99			23250		
MIGRØ M=6666	99			28.4			90			22250		
MØEWS M3430	58	175			18.6		94	83		23625	23002	
MØEWS SM220	83			53.5			89			23250		
MØEWS SM229	102	145	138	27.5	19.3	21.3	86	84	100	22125	23392	24000
MOENS SM331	62	128		23.7	21.0		96	78	•	23750		e verger.
MDEWS SN 332	90	153	4.2.2		18,6		83	85		55550		
MØEWS SM429 MØEWS SM432	88 88	149 156	127 136	32.7	20.2	28.2	95 91	76 81	98	21750		
	-						-		,			
MOEWS SM520	110 83			31.3			93 89			22625		
NORTHRUP-KING PX 610*	76			25.7			85			53000		
PIONEER 3388*	87			27.3			95			23000		
PIUNEER 3571*	73			27.2			96			23125		
PRAIRIE STREAM GOLDEN CROSS SX18	81			26,8			80			23125		
PRIDE R-694	95			29.7			93			55155		
PRIDE R=771	86 85	143	92	26.1	19.9	53.5	95 96	78	98	21375	23280	55888
PRIDE R-803	62			28.3			95			22375		
	116	134	97	38 4	10.7	26 0	0.4	0.4	0.0	21775	38/14 0	37555
PRIDE H-810	55	149	56		19.7		91 86	91 88	99 100	21375		
RENK RKSS	69			27.2		.,	8.3			25520		- 4
SEAGULL SX 33	90			27.9			83 95			21625		
SEAGULL SX 40	101			30.3			75			23375		
SEAGULL SX 55	83			29.1			95			21500		
SUPER-CRUST 4242	100	151	116		19.4	25,0	85 99	79	100	23125	23084	23111
SUPER-CROST 5440	86 78			29.6			90			21625		
SUPER-CHOST S25	54	153	115	-	17.6	21.2	73	8.2		21625		

Table 5. — Elwood, Increased Planting Rate, continued

BRAND AND VARIETY		TØTAL YIELD BU./ACRE			GRAIN MOISTURE PERCENT			PERCENT			PLANTS PER AC		
	1973	1972	1971	1973	1972	1971	1973	1972	1971	1973	1972	197	
SUPER-CROST 927	86	148	130	26.4	18.2	20,7	97	96	99	21375	22711	2355	
SUPER-CRØST S63	90 98	135		26.3	17.0		87 95	58		21500	21490		
TRØJAN TXS 99	71	140		-	18.3		99	93			23678		
TROJAN TXS 102	76	147	142	26,5	18.2	19.7	87	97	100	22500	24156	2333	
TRØJAN TX 105	93			8.25			84			22375			
TRØJAN TXS 111	80	142			16.3		97	91			23099		
TRØJAN TX 113	78	147		30,1	50.6		94	94		21750	22287		
TRØJAN TXS 113	99	159	129	30,8	20.9	26,4	89	87	99	22875	23333	24000	
AVERAGE OF 1973 ENTRIES	84			27.4			92			22359			
L. S. D	29			2.7			1.1			N.S.			
C, V	19												

Table 6. — West North-Central Illinois: Galesburg (Planted at 20,000 plants per acre in 30-inch rows)

BRAND AND VARIETY	707 8	AL YI U./ACR	ELO	GRAIN P	MØIST Ercent	URE	ERE	CT PLAP ERCENT	NTS	PLANT	S PER	ACRE
	1973	1972	1971	1973	1972	1971	1973	1972	1971	1973	1972	1971
ACC0 EXP. 71=6901	122			23.7			96			19610		
ACCØ U 378	122			22.3			87			19370		
ACCO UC 8801	125	179		23.7	21.0		90	65		18674	18000	
ASGROW RX64	121 147			21.5			86 95			19759		
FEDERAL FX59	141			C196			7.3			1,03,		
FUNKS 25792	119			20.1			86			19763		
FUNKS G-4366	123			19.8			93			19140		
FUNKS G-4404	115			23.1			86 87			19064		
FUNKS G-4444	129 143			20.1			92			19533		
FUNKS G=4445	143			2003			/-			.,,,,,		
FUNKS G-4567	128			20.9			88			19069		
FUNKS G=4628	164			28.0			89			18992		
FUNKS G-4646	133			24.9			90			19223		
FUNKS G-4648	125			25.7			90			20005		
FUNKS G-4737	145			25,8			92			17303		
LEWIS X418	129			25.8			94			18434		
LEWIS X628	141			23.7			96			18832		
MCALLISTER SX6837	117	165	146	24.3	21,3	28,4	95	65	97	19607	17555	18000
MCALLISTER \$X7207	134			24.5			93			19453		
MØEWS SM331	115			20.7			90			18901		
MOEWS \$M332	120			18.9			92			18670		
MOEWS SM421	140	150	168		21.0	22.1	91	38	98	19220	17777	17777
MOEWS SM422	119	154		25,5	20.3		94	68		19536		
MOEWS 5M432	127	154			20.2		91	76		19059	18000	
MOEWS \$M520	146			24.9			93			19296		
MOEWS SM822	119	149	159	25.0	8.05	24.9	95	74	95	19925	17777	18000
MOENS WM220	100	• • •	• • •	17.3		•	94			19139		
MOENS WM432	119			8.55			90			19458		
MORTON 5700	125			25.1			97			19840		
MORTON 6700	137			28,3			96			18203		
PHIDE 8=694	137			22.4			94			19606		
PRIDE R-771	116			21.6			91			19758		
PRIDE R-793	123			21.7			95			19996		
PRIDE R-803	114			55.6			97			18992		
PRIDE R-810	139			25.0			93			19374		
TROJAN TX 105	116			18.8			95			19138		
TROJAN TX 111	122			55.9			96			18908		
TROJAN TXS 111	152	156			19.2		96	65		20001	18000	
TROJAN TX 113	127	186			20.7		95	92		19142		
TROJAN TXS 115	144	155		24.9	20.9		95	72		19768	17555	
	4 4 4	16.		26.9	20.9		95	7.3		19448	17777	
TRØJAN TXS 119 TRØJAN TX 119A	144	161		25.4	ζU, 9		94	13		19837	4,,,,	
AVERAGE OF 1973 ENTRIFS	130			23.3			93			19321		
L. S. D.	18			1.7			6			N.S.		
C. V.	10											

Table 6a. — West North-Central Illinois: Galesburg, Increased Planting Rate (Planted at 24,000 plants per acre in 30-inch rows)

***************************************	101	TAL YI	ELD		MMIST			T PLA				322638
BRAND AND VARIETY		BU./ACR			ERCENT		99	RCENT		_	IS PER	ACRE
		1972	1971		1972	1971	1973	1972	1971	1973		1971
ACCP EXF. 71-6901	124			25.5			91			22551		
ACCO UC 9101	127	147		25.4	19.9		86 82	34		22786	22800	
ACCO UC 9301	155	148		26.1	21.3		89	54		22945		
ASGROW RX60	123	127	141	16.0		15.3	90	78	97	23419		24000
BU-JAC EXP.4146	154			24.1			93			23161		
BØ-JAC Exp.5543	116			55.6			96			23031		
80-JAC EXP. X2212	138			18.5			88			53150		
BU-JAC X7L	144	154		27.7	55.5		92	39		22833		
RØ=JAC X35	139	164	148	21.1	19.4	21.1	8.8	67	96	23714	23583	24000
BØ-JAC X37	155	123	158	20.7	19.2	8,55	93	35	98	23273	23973	23555
80-JAC x62	124	172		23.4	20.6		93	83			22599	
80-JAC X83	137			24.1			90			22328		
CARGILL 930	142	160		23.5	19.4		93 85	71		23170	23140	
UUTT U-LUI 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		200		4 . 8 3						25057	-31-0	
CORN KING 1137	148			19.2			90			20510		
DEKALB XL 43*	134			21.0			94			23094		
DEXALB XL 44*	120			23.3			89			23133		
DEKALB XL 66*	142			24.7			91			22768		
DOCKENDORFF 011	114	139 115	164		19.3	20. 2	82 94	55 24	0.0	21733	23975	24000
DOCKENDARFE 017	165	110	104	23.2	21.5	29,2	96	24	77	23362	63331	24000
FARMERS 2662XL	123			24.6			89			22842		
FARMERS 4525XL	141			21.8			86			22750		
EEDEDAL EVED	147	116		25.9	21.4		93	36		21361	23040	
FEDERAL FX59	141	110		18.8	C I 0 4		86	20		23388	23040	
FUNKS G-4366	124			19.9			79			23754		
FUNKS G-4404	119			23.0			87			20912		
FUNKS G-4444*	132			19.4			86			23252		
FUNKS G-4445	131			19.4			85			83528		
FUNKS G-4567	135			19.9			87			22287		
FUNKS G-4628	152			28.3			92			24044		
FUNKS G-4648	140			23.3			91 84			22062		
LOANG Madowo ******************	112			5441			04			23374		
FUNKS G-4737	145			26.5			84			23227		
HOLDEN 1016	149 154	161		8.55	20.9		93 96	61		22143	23792	
HØLDEN H 1023	140			23.1			95			22500		
HUGHES EXP. 26323	140	173		-	16.9		92	61			24067	
	. 7 "			3.4.6			0.0			22500		
HUGHES EXP. 36453	134			24.6			89 92			22584		
HULTING 770*	142			21.0			89			22763		
LESTER-PFISTER 14	151	146		23.4			89	50			23982	
LESTER-PFISTER 15	107	156		23.3	19.7		89	65		22834	23999	
LESTER-PFISTER 17	96	124		22.4	20.4		85	67		23575	23317	
LESTER PEISTER 23	126	123		20.1	18.8		81	64			23790	
LESTER-PFISTER 27	132	183		8.05	17.7		94	46			23078	
LESTER-PFISTER 57	118 125			24.7			90 93			23056		
Province traine at ***********************************	160			C 3 . 3			73			22947		
LESTER-PFISTER 64	121			8.85			94			23433		
LEWIS X22H	100			22.7			95			21957		
LEWIS X346	137 154			24.3			90 97			23620		
MCALLISTER \$X6837	123	152	168	23.5	22.4	27.6	96	37	95		23369	23333
MCALLISTER SX7071	122	157		23.3	19.5		84	59			24043	
MCALLISTER SX7176	131	185		25.4	20.4		84 89	55		23164	23497	
MCALLISTER SX7207	131			24.8			95			55302		
MCALLISTER SX7277	114			22.4			92			23168		
MCCURDY MSX54	121			55.5			88			22721		
MCCURRY MSX67	142	182		23.5	19.3		95	55		-	24067	
MIGRO M=0501	142	-		21.0			94	-		22458		
MIGRØ M-6666	153			23.6			94			55390		
MØEWS SM331	125			19.2			82			23764		

Table 6a. — Galesburg, Increased Planting Rate, continued

BRAND AND VARIETY	TOTAL YIELD G			GRAIN	MDIST ERCENT	URE	ERE	CT PLA		PLANI	1 * * * * * * 1	ACRE
	1973				-		1973					-
MOEWS SM332	121	150		18.6	17.2		8.8	55		20366	27544	
MDEWS SM422	113	144		25.1	20.9		89	60		23574		
MOENS SM429	125	135	149	24.2		22.7	92	63	95	23182		23777
MDENS SM432	121	157	159	53.3	21.2	27.0	91	65	94	21795	23997	24000
MØEWS SM520	134			25.8			90			53656		
MØEWS SM822	135	155		24.2	8,05		88	44		22823	24008	
MOEWS WHEED.	100			18.2			90			21449		
MOENS WM432	130			22.7			83			21522		
MORTON 4300	102			22.4			88 87			22803		
MORTON 4901	146			25,5			97			22441		
ørs geln sx5500	158			25.6			93			22544		
0'S GOLD SX5500A	140			55.5			90			23165		
P.A.G. SX 83	132 150			23,5			89 92			22560		
PIONEER 3334*	124			22.1			89			21858		
. ADM.CA 3310										2,030		
PIONEER 3571*	132			21.2			89			22954		
POCKLINGTON P-6441	138			28.0			93			22372		
PRIDE R=694	133 109			21.3			87			22983		
PRIDE R=771	144			19.9			91			22336		
PRIDE R-803	128			25.9			94			23331		
PRIDE R-810	134	151	143		18.8	14.5	85	85	96	23634	24022	23777
RENK RK55	112	153		8.05	19.1	3 - 4 -	78	43			23520	
RENK PK66	152	184			50.5		90	70			23198	
SEAGULL SX 33	137			22.1			90			23405		
SEAGULL SX 40	133			23.3			93			21611		
SEAGULL SX 55	137			24.3			96			23006		
STEWART S382	156			23.8			92			23213		
SIEBEN 25XS*	123			50.0			86			23436		
STEWART SX54	137			20.1			90			22949		
STEWART SX58	136			27.8			89			21539		
STEWART SX59	146			26.9			92			19807		
STEWART SX68	141	. = .		24.1			91			22354		
SUPER-CRAST 4242	126	158	143	22,4	18.4	50.8	88	59	95	22601	23127	24000
SUPER-CHAST 5440	152			24.3			95			22136		
SUPER-CRAST 7772	137	139	159		21.5		93	36		23613		
SUPER-CRAST 863	120	118	156	21.2	19.4	18.7	86	11	99		23325	
SUPER-CROST S65SUPER-CROST S67	94 126	147	133	24.1	19.7	21.9	84 95	44	91	22409	53230	24000
				-			0.0					
SUPER-CRUST 885	154	127			21,5		89	56			23379	
TROJAN TX 105	133 150	156		21.0	20.4		94 90	58		22937	23997	
TROJAN TXS 113	136	151	168	25.0	20.4	24.2	92	56	94	22991		24000
TROJAN TX 117	147	164	•	24.4	21.2		92	66		23766		
TROJAN TXS 117	142	143		23.7	19.8		92	42		23238	23785	
TROJAN TXS 119	161	. 45		25.5			94	- 1-		23000		
MYFFELS W-60	151			23.9			95			12125		
WYFFELS W-70	144			23.9			95			55956		
AVERAGE OF 1973 ENTRIES	134			20.0			86			23436		
L. S. D.	21			5.0			8			5600		
	11											

Table 7. — West-Central Illinois: Carthage (Planted at 24,000 plants per acre in 30-inch rows)

					=====				=====	•	======
BRAND AND VARIETY		TAL YĮ BU./ACR	E	F	∟ MØIST ERCENT		P	CT PLA ERCENT		PLANTS PER	AFRE
		1972			1972			1912		1973 1972	1971
ACCO AR19775	67			22.1			93			21 184	
ACCO EXP. 71=6901	81 94			21.0			95 89			22507 22461	
ACCO UC 8801	90	124		19.6	24.5		91	ЯЬ		20615 17833	
BØ=JAC EXP.5526	120			20.1			95			22615	
B0-JAC EXP.6229	98			50.5			93			22000	
BO-JAC X7L	107	44	162	23.3	25.4	8.55	96	8.2	99	21846 17500	18000
BOWJAC Y9	81			50.0			H4,			23230	
80-JAC x83 80-JAC x91	68 103			20.5			89 93			22ngn 21846	
				•							
COKER, S 16	103 77			1.55			87 89			22307 22000	
COUP S=304	112			21.6			89			21692	
DEKALB XL 64%	126			21.4			90			23538	
DEKALR XL 66*	100			21.5			89			22461	
F.S. 860*	113			24.3			93			22769	
FUNKS 25262	90			23.4			85			21 A 4 6	
FUNKS 26174 FUNKS 26207	105			22.9			8.4 8.7			19326	
FUNKS G-4445	111			18,5-			85			21846	
FUNKS G=4567	104			50.5			89			23538	
FUNKS 6-4628	98			22.5			92			23230	
FUNKS G=4646*	155			20.5			87			22923	
FUNKS G=4648	90 128			21.6			86 86			21692	
FUNKS G-4757	78 106			8.55			91 95			22153	
HØBLTT XR445	126			19.9			91			23384	
HØBLIT XR451	81	112			22.4		具具	87		23692 18000	
LESTER-PFISTER 14	113	114		19.7	50.8		8.3	81		22769 17666	
LESTER-PFISTER 27	94	111			21.0		84	93		21076 17500	
LESTER-PFISTER 57	121			22.1			90			22153 22461	
LESTER-PFISTER 64	73			21.4			89			20615	
LEWIS X228	98			19.7			98			18615	
LEWIS X34B	103			22.1			89			21846	
LENTS X62B	74			19.9			90			22923	
LEWIS X788	117 87	128		8.15	24.2		90	91		22923 17333	
MCALLISTER SX6837	104			21.5			86 95			24000	
MCCURDY 72-28	65 121			20.8			91 87			22615	
MCCURDY MSX67	112			17.9			91			19692	
MCCURDY MSX85	101	115		21.0	19,7		95	7 3		22923 17500	
MCCURDY MSX87	105			8,15			91			20461	
MCCURDY MSX88	110			22.4			85			21846	
MOEWS M7822	76 105	124		23.6	22.6		91 93	8.8		21538 22615 18000	
MOEWS SM432	66	3 C 4		20.1	E E • 11		88			23076	
MOEWS SM438	80			19.6			86			22923	
M0EWS SM520	94			55.5			95			23076	
MOENS SM722	94			22.7			85			22307	4.45
MOEWS SM822	81 85	117	166	20.5	50.8	54.4	89 85	86	90	21692 18040 24000	17500
MOENS WM438	AH			19.2			83			Sougo	
MORTON 4901	87	122		21.8	23.8		9.0	7 H		22non 17833	
MURTAN 6700*	108	131		23.4	25.2		PH	88		23230 1/333	
MORTON 6700A	87			22.7			8.4			22769	
P.A.G. SX 7*	84 97			18.7 21.8			Я1 91			22769	
PIONFER 3334*	74 94			20.1			83 83			23384	
PIONEER 3376*	109			19.0			8.4			23076	
TROJAN TXS 111	74 80	116 126		17.3	18.2		94	84		22923 18000 22769 17166	
TROJAN TX 113				•	-		_			-	
TRØJAN TXS 113	9.8 8.0	140	145	21.8	24.2	22.1	9.R 0.P	92	99	23538 17666 21384	17833
TROJAN TX 117TROJAN TXS 117	104	149		19.3	21.7		87	90		PP153 17144	
TROJAN TXS 119	94			23.3			87			SSudo	
TRAJAN TY 1194	108			21.2			89			22461	
AVERAGE OF 1973 ENTRIES	9 n			21,1			84			22217	
L. S. D	N.S.			1.4			N . S .			N . S .	
C. V	23										

Table 8. — Central Illinois: Hartsburg, Increased Planting Rate (Planted at 24,000 plants per acre in 38-inch rows)

BRAND AND VARIETY	8	AL YI	E	Р	MØIST ERCENT		PE	CT PLA ERCENT		PLAN	TS PER	ACRE
		1972			1972		1973	1972				1971
ACCO AD10776												
ACCO AR19775	119 120			20.5			95 94			18062		
ACCØ U 378	110	150	151		22.1	19 7	97	53	9.0	18000	22211	2/1001
ACCO UC 5801	103	144	,	18.5	20.5	4 7 9 7	94	66	7 7		55391	24000
ICCU UC 6601	136			19.5	2013		94	• 0		17062	E C - 7 1	
ACCO UC 9301	121	146		20.1	23.5		92	56		16500	23686	
ISGROW RX60	126 120			19.3			95 87			18250		
ASGRØW RX70	102			17.6			98			18812		
30-JAC EXP,3555	105			19.3			96			16625		
0-JAC EXP.4146	155			18.8			91			17812		
0-JAC EXP.5526	106			19.3			97			17250		
0-JAC EXP,5543	95 58			17.6			91 94			18500		
0-JAC EXP. X2212	103			17.5			96			18375		
Stand an Incorposition	.02						, 0			1		
0-JAC X7L	110	130	153	19.5	23.0	25.0	94	63	99	18687	23960	24001
0-JAC X37	127		106	19.3	•	18.2	92		100	18687		2133
0-JAC X77L	115	169	165	19.7	22.3	23.0	96	68	100		22624	2355
0-JAC X83	102			19.5			96			18065		
00P S-318	99			18.9			97			17812		
Paule 707*	107			18.6			94			20500		
ROWS 707*EKALB XL 64*	107			18.5			88			19375		
EKALB XL 66%	116			20.1			93			18000		
EKALA XL 347*	90			18.5			96			18375		
,S, 860*	119			19.2			92			18812		
UNK\$ 26174	118			18.3			83			19065		
UNKS G-4444	118			20.0			92			19000		
UNKS G-4445*	124			17.5			93 94			17375		
UNKS G-4567 UNKS G-4628	113 131			17.8			96			18375		
Orvo Gendoco**********************	131			1700			713			Toute		
FUNKS 6-4646*	110			19.3			94			18562		
UNKS G=4648	114			19.9			96			19375		
UNKS G-4737	121			19.4			94			17062		
UNKS GHO 562	133			20.4			97			18750		
UNKS GHO 605	121			50.0			93			18750		
SUTHEIN 62	111			19.5			96			17312		
SUTHEIN 65	119	128		18.9	24.1		96	59			22548	
SUTWEIN 69A	93	131		18.5	50.5		90	6.4		17437	22947	
SUTHEIN BO	123	178		19.7	22.9		92	62			23458	
SUTNEIN 88	108	158		20.4	21.1		94	90		18562	20970	
100. **				20.5			0.0			40435		
ADBLIT XX444	89	208		20.5	27 0		92 95	77		18125	22815	
108L1T xR44RA	106 105	149		19.4	53.0		96	83			51558	
NIGHES EXP.32263	93	1 44 7		17.4	8645		95	0.5		18750		
UGHES FYP.36453	104			19.3			96			19125		
				•								
UGHES EXP.39262	109			19.3			98			20125		
ESTER-PFISTER 14	109	90		18.2			97	77			55501	
ESTER-PFISTER 15	106	153		19.6	20.4		96	85			21496	
ESTER-PRISTER 17	108	121		17.6			94 95	52 87			21770	
CMILINETT STIEN Closecococcececocc	112	124		19.3	10.1		43	01		103/3	22534	
ESTER-PRISTER 57	115			17.8			95			19562		
ESTER-PRISTER 61	119			19.4			90			18187		
ESTEF-PFISTER 64	109			18.3			98			18812		
EWIS X228	113			19.9			95			19062		
EWIS X348	118	211		19.7	23,1		97	88		17562	55665	
Chite V/110	4.00			20.0			0.5			160.2		
EWIS X41B	149 128			50°0 50°0			95 92			16937		
EWIS X78A	80	135		17.7	22.7		7 <i>e</i> 79	7 1			23270	
CALLISTER SX6837	118	: 3 2		19.5	6.4		96	, ,		18125	, 50, ,	
CALLISTER SY7176	103	160		18.3	23,5		94	48			23550	
					•							
CALLISTER SX7207	120			20.0			90			18125		
CCURDA WEXRG	97			19.0			9.8			17312		
CCURDY MSX87	127			19.7			92			19312		
1000F0Y MSY88	112		4.41	18.3	20 -		9.5	0.0		18687	21202	202
TIBRO MOUNDI	109	157	143	1 H . A	20.7	17.5	89	84	44	1//50	21212	~ 4 DD

Table 8. — Hartsburg, Increased Planting Rate, continued

BRAND AND VARIETY	TUT	TAL YI	ELD	GRAIN	MUTST ERCENT	U₩E	ERE	CT PLA	NTS	PLANTS PER	
	1973	1972	1971		1972			1972		1973 1972	1071
										1777 1776	17/1
MIGRO 4-0711	127	155	149	20.9	23.3	23.8	97	67	99	18062 21729	24000
MIGRO M 5045	196			19.3			95			17750	
MIGRO M-6646	106	127			8.15		91	81		17937 20020	
MIGRO M-6666	125	152			55.2		94	81		18812 22419	
MIGRO M-7072	111			50.5			96			18187	
M36C M3434	103			18.7			92			18312	
MDERS M7624	106			20.1			95			17875	
MOENS ST422	103	154		18.3	20.3		90	80		17562 21571	
MAENS SM429	107	1.54	132	19.0	6.00	20.0	92	., .	100	19000	24000
MOENS SM432	115	193	148	17.4	8,55	51.5	94	78		17250 23264	
					- 4						
MOERS 5-438	89			18.9			8.8			19000	
MOFKS SM523	125			19.1			95			18875	
MOEWS SM822	129	147		20.1	25.3		93	75		18562 22666	
MOE'S WM432	86	4.5.7		19.3			88	-		18125	
MOEWS WM438	113	143		18.0	21.0		94	72		17812 21075	
n . f . ev 07	101			18.7			95			19000	
P.A.G. SX 93	112			50.0			90			15812	
P.A.G. SX 98	115		150	50.0		21,1	98		100	17812	22444
PIUNEER 3369Å* PIUNEER 3376*	101		130	19.9		2191	94		100	17812	
RENK RKS5	97	123		17.8	19.7		91	51		17875 24038	
		• 11.5						(
RENK RK66	100	151		18.6	22.5		95	79		16875 23788	
STEWART 5382	97			17.2	-		96			17187	
STEWART SX58	119	171		19.8	20.9		93	70		17562 22512	
STEWART SX59	116			19.5			95	1		17375	
STEWART SX68	109	125		18.7	21.7		81	78		19062 22443	
CTEADT CN74		44.5									
STEMART SX71	105 108	113		18.7	21,5		94	51		18437 22131	
SUPER-CROST 7772	110	137	147	17.6	8.55	24 0	95 90	68	4.00	17687	
SUPER-CRAST S63	111	136	177	19.5	50.9	17.4	91	58		19000 21962	
SUPER-CHOST S67	125	131	• ' '	18.9	E 11 # 7	11,44	91	30	77	18625	24000
							7.4			10053	
SUPER-CREST S85	124	112		50.5	21.7		95	32		16562 22995	
TEWELES EXP. SD217	102			19.3			93			18375	
TEWELES EXP. 30218	119			21.0			95			18375	
TEWELES SXT48.	128	171		19.8	21.6		95	84		18750 21516	
TRISLER T-333	109			17.5			96			18437	
TAISIER T-020	131			10.5							
TRISLER T-920	121			18.9			96			20125	
TRISLER T-5500	105			19.5			92			17500	
TRISLER T-7500	103			19.0			88 95			18625 19250	
TROJAN TXS 111.	85	147		17.8	19.5		89	86		15625 23163	
		. * *		. / /			٠,	50		*2002 53103	
TROJAN TX 113	109	175		19.5	21.4		98	87		19312 23675	
TROJAN TXS 113*	113	171	163		22.5	21.1	92	92	100	19625 22333	
TROJAN TX 117	141			20.5	·		96			17625	
TROJAN TXS 117	121			19.8			93			19062	
TROJAN TXS 119	109	167		20.9	22.4		96	74		18625 55381	
TROJAN TX 119A	110			18.6			94			19062	
				•							
AVERAGE OF 1973 ENTRIES	112			19.2			94			18303	
L. S. O	32			2.0			14			4700	
(. V	2.3										

Table 9. — East-Central Illinois: Urbana (Planted at 20,000 plants per acre in 30-inch rows)

:::::::::::::::::::::::::::::::::::::::		AL YI			EEEEE			ETETT		=====		
BRAND AND VARIETY		U./ACR			ERCENT			ENCENT		PLANT	S PER	ACRE
		1972	1971	1975	1972	1971			1971	1973	1972	1971
				22.0			100			17080		
ACCO AR19775	212			21.9			98			18646		
ACCO UC 8801	206 182	158	111	21.7	27.1	24.2	9.8 9.7	94	100	16945	17616	18000
ANDERSON AX-5	160	148	144	17.4	50.9	21.4	98	100	98	16096	17999	
ANDERSON AX-9	172	150		18.7	23.1		9.4	96		16253	17724	
ANDERSON AX-12	174	150 153		20.3	23.9		96 100	95 98		18150		
ANDERSON 3-W-110.	173	136	143	19.6	24.8	18.5	100	100	96	19113	17641	18000
ANDERSON 3-W-115	152	140		19.0	55.9		100	98		17183	17758	
ASGRØW RX64	167			19.0			99			17943		
80-JAC X7L	204			21.7			99			15942		
BØ÷JAC X83	189 164			21.1			96 100			17968		
·							_					
CARGILL 979 CENTRAL-JULINOIS CI324	180 186			22.6			98 99			16241		
CENTRAL-ILLINGIS CI2304	185	129		18,7	25.7		100	94		16765	17817	
COKER,S 16	182 186			21.5			98 99			19338 16760		
FUNKS 26207	186			21.1			100			18102		
FUNKS G-4444	174			17.0			99			18351		
FUNKS G-4445 FUNKS G-4567	173 195			18.4			95 98			18006 18765		
FUNKS G-4628	178			22,5			99			17671		
FUNKS G-4646	190			19.9			96			19080		
FUNKS G-4648	183			21.1			99 100			18722		
GOLDEN SX101	175			8.55			100			18619		
GUTWEIN 86	188	157		20,4	23.4		99	170		20057	16092	
HOBLIT XR447A	199 207	171	142	20.2	24.7	26.2	100	97	Q.A.	18736	17730	18000
MCALLISTER SX7196	175	157	144	20.0	24.3	22.7	98	96		18274		
MCALLISTER SX7207	203	164	137	21.5	25.2	25.6	97 100	98	97	17968	17794	1,8000
	185	9 17 7	,	23.2			86			17488		
MIGRØ M=EXP.7070	159			18.8			99			19765		
MIGRØ M=0501	155	144	124	16.3	21.5	8,05	100	100	100	14312	17111	18000
MIGRO M=6646	186 167	171		•	26.8		98	100			17342	
MIGRØ M=7072	182	169		21.4	25,5		100	98		17865	17587	
MUEWS SM421	188	154			23.0		99	97 82		19471	16491	
MØEWS SM422	204	163		21.6	25.1		100	25		18334	10013	
MØEWS \$M622	207	162		23.1	29.8		98	100		16694	17179	
MØEWS SM822	500	168	141	21.4	26.5	27.1	100	98	100	17297	17814	18000
MØEWS WM429 MØEWS WM438	177 193	125		20.5	28.2		90	96		18886	4 7 7 4 7	
MOEWS WM520	164	TES		21.8	€5.6		70	20		18564	17814	
PØCKLINGTØN P-6441	198			55.0			49			17509		
POCKLINGTON P=7661	176			23.1			100			14495		
PRINCETON \$X630PRINCETON \$X650	200 174	158		21.0	24.6		98 · 100	98		19268	17943	
PRINCETON SX850	195	158	159	21.1	25.1	4.3	99	96	97	15936		18000
TØDD 1876	199			21,1			100			17657		
TØDD 1886	138 163			18.9 19.0			9 A 9 9			19597		
TØDD M90	186			21.5			98			18885		
TRØJAN TX 111TRØJAN TXS 113	178 189	164		18.0	27.3		99 100	96		17812	17057	
TRØJAN TX 117	183			21.9			98			19278		
TRØJAN TXS 119	176			55.1			99			19038		
TROJAN TX 119A TROJAN TXS 124	180 194			21.1			100			17005		
1100NN 110 154555555555555555555	474			C () 0 4			100			10300		
AVERAGE ØF 1973 ENTRIES	180			20.5			99			17912		
L. S. D	25 10			1.8			3			4200		

Table 9a. — East-Central Illinois: Urbana, Increased Planting Rate (Planted at 24,000 plants per acre in 30-inch rows)

BRAND AND VARIETY	7 Ø T	TOTAL YIELD				URE	ERF	CT PLA ERCENT	NTS		TS PER	
	1973	1972	1971	1973	1972	1971	1973	1972	1971	1973	1972	1971
ACCO AR19775	145			55.6			100			23851		
АССИ EXP. 71-6901	170			6.55			94			55999		
ACCM UC 5801	159	167		19.3	23.8		93	94		-	55639	
ACCO HC 9101	166 178	164	141	20.4	26.8	22.7	96 98	8.8	96	21333	22382	3/1000
AGGO IIC 9101	1 1 1	14	, -,	6197	211.0	CERI	,,,	0.0	70	74000	56305	24000
ANDERSON AX=5	181	138	148		20.7	21.4	96	95	97		23691	24000
ANDERSON AX-9	165 150	188 153		19.5	55.9		98 90	94			22736	
ANDERSON AX-12	168	131		18.9			96	98			24027	
ANDERSON 3-N-110	182	152	144	20.6		19.0	98	92	95		18855	24000
ANDERSON 3-W-115	168	134		19.2	27.7		95	99		27555	22015	
ASGROW RX60	139	172		15.8			93	97			23048	
ASGROW FY70	162	2 . 44		18.0			98			19851	23000	
80-JAC FXP.5526	500			20.3			100			20740		
RU-JAC EXP.6229	167			21.7			96			23259		
80-JAC EXP.9722	170			25.0			89			55965		
BA-JAC X7L	179	168	149	25.8	24.0	27.0	99	100	98		21477	24000
80-JAC X62	155			21.8			98 98			23407		
BO-JAC X83	177 196			21.8			98			20444		
CARGILL 979	188	101	170	22.9	35.7	24 0	100	99	0.7	21481	20120	2000
CENTRAL-ILLINGIS CIAT.	167 203	191	134	22.7 18.8	25,3	26.0	100	99	97	23111	20124	24000
COKER,S 16	197			21.5			100			72814		
COOP S-318	185			22.5			100			20444		
NEKALR XL 64*	182			20.5			100			20888		
DEKALB XL 66%	129			21.1			91			20592		
DEKALB YL 81*	179			22.3			97			21481		
F.S. 860*	190			23.1			96			23407		
FARMERS 2662XL	176			21.9			97			23407		
FARMERS 2882×L	167	198		24.8			86	95		22074	19660	
FARMERS 4589XL	155	188		23.1	24.4		100	97			23812	
FUNKS 26174	180 158			55.0			98 97			19555		
FUNKS G=4444	166			1A.6			85			23703		
				- 0 "			0.1					
FUNKS G-4445*	160 137			18.4 17.6			94 90			20296		
FUNKS G-4628	193			55.8			100			20592		
FUNKS G-4646*	164			21.3			96			20444		
FUNKS G-4648	180			8.15			9.8			21925		
FUNKS G-4737	190			23.2			99			23407		
GULDEN SX303	155			21.2			96			23851		
GUTWFIN 62	189			19.6			94			55664		
GUTWEIN 65	174 153	194	147		24.2	31 /	96 97	98 90	9.5		22888	2//000
13111WF 1N DYA	1 1 7	174	147	1, 9	61.4	21.4	7,	70	45	20146	، د د د ع	24000
GUTWEIN BO	1 8 7	163		22.5			9.8	87			22214	
GITWEIN 88	171	187	148		24.2	56.5	97 91	94	9.8		20666	24000
GUTWFIN 167	1 A 1 1 7 G	136			24.4		97	93			24116	
HOLDEN H 1016	187	E ,		20.5	E. 7 g 7		100	• •		22518	61407	
				4.0.0			.00			24430		
HOLDEN H 1024	175 152			18.9 19.3			100			51659		
HOLDEN H 1025	175	141	136		22.4	21.0	95	93	89		22050	24000
LESTER-PFISTER 15	138	157	1.3.1	19.1	23.2	19.7	98	97	81	22814	253UW	24000
LESTER-PEISTER 17	137	154	133	19.4	23.9	21.4	92	98	99	55370	24035	24000
LESTER-PETSTER 27	186	150	140	17.7	21.5	19.7	99	99	96	23259	22323	24000
LESTER-PEISIER 57	177			21.4			9.8			22814		
LESTER-PEISIER 61	185			20.6			96			23703		
LESTER-PEISTER 64	172			21.2			97 94			22814		
LESTER-PEISTER 74	191			8,05			74			61462		
LESTER-PFISIER 76	182			23.4			98			55965		
LEWIS Y548	181			21.1			97 96			23555		
LEWIS X628	198			18.3								
LEHIS X78H	169	167		21.2	24.6		98	89		20444	23344	

Table 9a. — Urbana, Increased Planting Rate, continued

ERAND AND VARIETY	TOT	AL YT	ELD	GRAIN	MAIST ERCENT	บลย	€ H E	CT PLA ERCENT	NTS		IS PEH	
	1975						1973	1972	1971	1973	1972	1971

MCALLISTER SX6837	17(1	170	139		25.7	26.4	96	8.8	9 8	21925	21653	24000
MCALLISTER SX7066	191	173	138	16.5	50.8	17.7	94	91	97		21504	54000
MCALLISTER SX7176	179 198	173		1.55	25.1		98 100	96			23668	
MCCUROY 72-25	181			21.1			91			21481		
MCCUROY 72-28	4.00											
MCCURDY MSX84	182 210			19.5			95 100			21925		
MCCURDY MSY87	179			و ور			98			22666		
MCCURDY MSX88	177			22.6			98			55555		
MCNAIR 73003	508			54.0			98			23851		
MCNAIR X170	204			19.9			98			23555		
MCNAIR X180	142			20.1			96			21333		
MCNAIR X190	173			23.1			100			55466		
MCNAIR X210 MCNAIR X214	176 166			23.1			97			21481		
	Lac			21.3			100			22814		
MIGRØ M-0501,	182			16.7			97			23555		
MTGRØ M-5040	144	(22		18.9	27 "		97	0.7		21629		
MIGR0 M-6646	184 191	172 195		21.8	23.4		96 99	97			23060	
MIGRØ M-7072	182	177		21.3	23.5		95	77		55965	22014	
							_					
MØEWS M7624	177			21.5			100			21629		
MOENS M7822	171	207		22.3	23.6		94 90	98		21629	2235A	
MOEWS SM421	185	20,		20.7	E. J 9 17		9.8	310		50000	55330	
MOEMS SM432	172	170		19.7	26.2		94	94			23606	
MOEWS 5M622	185			24.0			94			23111		
MOENS SM822	181	173		20.9	24.2		95	9.8			23173	
MUEWS WM429	151			19.3			81			55965	, ,,,,	
MDEWS WM438	165			21.1			95			21629		
MOEMS MM855	205			21.5			96			24000		
MUNCY+CHIEF H764	137	150		20.7	23.7		93	95		55555	22853	
MUNCY-CHIEF SX662	168	152	141	21.8	24.5	21.9	9.8	97			23933	
MUNCY-CHIEF SX777	162 158	145	121	55.0	24.9	20.4	99 80	94			21376	
grs Geld SX4500	143	103	1 30	20.7	24.7	24.7	100	94	76	18666	23442	24000
										,		
0'S GOLD \$X5500	191 179			21.7			100 96			22518		
0'S G0LN SX5500A	500	159		18.8 17.1	20.4		98	9.4		23851	23181	
7-Y-0 442A	165			19.0			97			23407		
P.A.G. SX 93	168			55.3			97			55555		
P.A.G. SX 98*	191			21.9			100			22370		
PIONEER 3369A*	198			21.2			100			21185		
PIONEER 3571*	182	4.07		17.8	27 (100			55555	2404	
POCKLINGTON P-6341	204 184	196		20.7	23.4		100 97	99		23851	21914	
PRAIRIE STREAM GOLDEN CROSS SX6A	178 185			21.5			100 98			22370		
PRINCETUN SX630PRINCETUN SX650	164	169	122	18.9	22.4	21.4	94	97	96	23407	11855	24000
PRINCETON SX850	190	150	1.4	22.0	53.5	6.4.	99	98	, 5	22074		2 4776
RENK RK55	197	197		18.6	20.4		91	97		23851	23317	
RENK RK56	177	140		16.7	24.1		91	98		23407	22615	
SEAGULL SX 55	188			21.9	12 . 9		100	,		23851	6.6.77	
STURDY-GROW S/G 823	198			21.9			9.8			24000		
STURDY-GROM S/G 824	192 167	171		22.0	25.6		99 95	88		20000	23306	
VINHUITURET U/S DUC	191	111		C 1 . !	C 3 . D		73	70		67401	9000	
	195			18.7			100			51659		
SUPER-CREST 5440	168	172 185	136	22.3	24.4	55.9	9.8 96	97 92	95		23306	24000
SUPER-CROST 7772		100		22.4	23.5		96 100	45		20888	53381	
SUPER-CRØST 7772SUPER-CRØST 8442	172			W 1 0 0				0.0	0.4	23407		2/1000
SUPER-CRØST 7772SUPER-CRØST 8442SUPER-CRØST 867SUPER-CRØST 867SUPER-CRØ		167	154	50.5	22.9	24.4	95	9 F	91	F 2 4 ()	24027	Cando
SUPER-CROST 7772SUPER-CROST 8442SUPER-CROST 867SUPER-CROST S67SUPER-CROST S79	172 160 160					-	7					
SUPER-CROST 7772SUPER-CROST 8442SUPER-CROST 867SUPER-CROST 879SUPER-CROST 885SUPER-CROST 885SUPER-	172 160 160	167	154 143	22.6	24.7	-	100	97	98	22074	21586	
SUPER-CROST 7772SUPER-CROST 8442SUPER-CROST 867SUPER-CROST 879SUPER-CROST 865SUPER-CROST 865SUPER-C	172 160 160			22.6		-	7					
SUPER-CROST 7772SUPER-CROST 8442SUPER-CROST 867SUPER-CROST 879SUPER-CROST 885SUPER-CROST 885SUPER-	172 160 160 183 184			22.6		-	100		98	22074 22814 22370 23259	21586	24000

Table 9a. — Urbana, Increased Planting Rate, continued

BRAND AND VARIETY		AL YI		ρ	MØ1ST ERCENT		F	CT PLA ERCENT		PLAN.	IS PER	ACHE
	1973	1972	1971	1973	1972			1972		1973	1972	1971
TRISLER 1=333	190			22.4			9.8			23851		
TRISLER T-902	132			20.8			99			20740		
TRISLER T-919	160	143	89	50.5	25,1	22.5	93	93	100	23851	20366	24000
TRISLER T-920	144			20.0			89			21925		
TRISLER T=934*	172	151	155	21.9	56.5	24.7	100	89	98	22074	21996	24000
TRISLER T-940	177	162	116	21.7	26.7	21.3	95	100	90	22814	21192	24000
TRISLER T-2500	189			17.3			91			23703		_
TRISLER T-5500	198			21.2			98			22666		
TRISLER T-7500	194			21.0			100			23703		
TRØJAN TX5 113	161			23,4			93			55614		
TROJAN TXS 117	143	159		20.1	8.55		100	98		21925	25976	
TRAJAN TXS 119	188			24.2			100			22962		
TRAJAN TY 119A	176			20.7			98			22074		
WHISNAND 80	204	500		81.6	24.7		100	9.8		23703	21461	
WHISNAND 82	147	158		20.3	23.A		86	4.9		23111	25017	
WHISNAND 875	177			20.2			98			24060		
AVERAGE OF 1973 ENTRIES	175			20,8			97			22541		
L. S. D	37			1.4			111			480r		
C . V	11			1 4 4			1.,			40		

Table 9b. — East-Central Illinois: Urbana, High Lysine Trials (Opaque-2) (Planted at 24,000 plants per acre in 30-inch rows)

Entry	Total acre yield	Grain moisture	Erect plants	Plants per acre	Protein	Grams lysine per 100 g. of protein
	bu.	perct.	perct.		perct.	
Bo-Jac HL345	123	17.8	98	22,875	12.5	3.68
Funk 24559	116	18.1	100	20,437	11.4	3.73
Gutwein HL26	116	16.6	100	13,968	12.4	3.62
Gutwein HL146	143	19.0	100	23,062	12.4	3.29
IFS 070-B013 o-2	122	19.1	100	16,968	12.4	3.52
IFS 070-B020 o-2	141	19.2	100	21,093	12.3	4.21
IFS 070-B045 o-2	156	20.0	100	18,281	11.8	3.51
IFS 071-B007 o-2	133	15.0	100	13,875	12.6	4.15
IFS 071-B014 o-2	151	22.0	100	15,468	11.9	3.48
IFS 072-B002 o-2	143	16.5	100	20,156	12.3	4.07
Lester Pfister 421 o-2	130	14.3	100	22,218	10.6	4.23
Lester Pfister 1032 o-2	149	17.9	100	22,218	10.6	4.02
Lewis X38L	130	18.4	98	19,593	12.1	3.52
Migro M-HL 653	149	18.7	99	21,000	11.0	3.61
WF9 x B37 Normal	168	19.0	100	22,968	10.6	2.66
WF9 x HRC103 Normal	152	20.0	100	21,093	11.8	2.63
Average of entries	139	18.2	100	19,705	11.8	3.62
L.S.D. C.V.	18 8	1.2	1	2,200		

Table 10. — West South-Central Illinois: Greenfield (Planted at 20,000 plants per acre in 30-inch rows)

BRAND AND VARIETY	TØTAL YIELD G BU./ACRE			GRAIN	MOIST ERCENT	HRE	ERE	CT PLA ERCENT	NTS		S PER	
										4000		
											1972	
ACCO EXP. 71=6901	A9 77			8.15			97 100			19270		
ACCØ UC 8801	81			19.6			96			18050		
ACC@ UC 9701	8.2	145		22.4-	55.0		98	94		19583	17713	
ASGRAW PX99A	92			8.55			97			17916		
ASGROW RX100	107	177		23,0	55.3		98	9.5		19687	17713	
CARGILL 495	93 89			20.7			97 100			18333		
CARGILL 979	95			23.3			95			18750		
FUNKS G-4445	101			18.5			97			17708		
FUNKS G-4567	7 2			19.4			98			17395		
FUNKS G=4628	90			55.9			96			19375		
FUNXS G=4646	42 86			21.6			98 96			18020		
FUNKS G-4737	110			55.8			100			18558		
FUNNS 6#4/3/	110			EE . 3			100			10564		
FUNKS G-4757	86			22.5			96			18437		
FUNKS GHO 562	66			21.2			97			18020		
FUNKS GHO 605	79			0.85			96			17916		
GUTHEIN 86	76			19.7			97			18541		
GUTWEIN 92	57			21.7			96			18541		
LEAIS X22B	93			20.5			100			18353		
MCCURDY MSX85	84	158			19.6		48	88		18854	1/713	
MIGKO M=6666	8.1			21.7			97			17604		
MIGRA M-7072	94			19.7			96			17708		
MUENS M7734	78			21.3			95			17500		
	84			23.0			96			17916		
NOEWS M7822	9 H			19.7			93			18020		
MOEWS SM422	96	133		18.7	50.5		98	9.8		17500	17811	
MAENS SM622	93			24.0			95			15645		
MAENS SM822	96	145		19.3	20.9		98	100		16333	17779	
MOLWS WM429	96			20.5			96			18125		
MOEWS 4520	74 106			21.6			95			17395		
MOENS W1822 MORTUN 5/00	30,			20.8			92			15041		
MORTON 5700	91			23.2			98			17291		
P.A.G. SX 98	ಕಿಕ			24.1			93			17291		
P.A.G. SX 520	67			19.4			100			17083		
POCKLINGTON P-7661	78			1.55			97 99			17395		
STULL 72059	96 93			20.9			96			18437		
STULL 8098×	7,1			CC 9 "			70					
STULL 8775x	14			23.7			98			17812		
STULL EXP. 8233	A 4			21.2			98			19870		
TRISLER T=333	8.4			55.9			97			19375		
TRISLER T-920	7.6			18.0			9 H 9 R	0.4		17604	4 70 10	
TRISLER T-934	7.7	148		23.7	21.9		30	81		17700	17859	
TRISEFR T=940	92	143		21.4	21.8		9.8	97		17395	17779	
TRISLER T-5500	81	142		21.0	E 1 0 17		97	71		19062	1 , , , ,	
TRISLER 1=7500	97			23.0			96			18431		
TROJAN 1x 117	100			20.9			96			1/187		
TROJAN TAS 119	112			55.8			1.00			16645		
TREJAN TX 119A	8.5			21.7			97			18437		
TROJAN TXS 124	80			50.3			91			18854		
				2			0.7			18160		
AVERAGE VF 1973 ENTRIES	87 25			21.5			97 N.S.			N.S.		
L. S. D	32 18			1.5			., 0					

Table 10a. West South-Central Illinois: Greenfield, Increased Planting Rate (Planted at 24,000 plants per acre in 30-inch rows)

				322332		======		======								
BRAND AND VARIETY	THIAL YIELD							GRAIN MMISIURE PERCENT			ERECT PLANTS PERCENT			PLANTS PER ACRE		
***************************************	1973	1972	1971	1973	1972	1971	1973	1972	1971	1973	1972	1971				
ACCW AR19775	109			21.2			89			21684						
ACCD U 392	106			23.9			93			01555						
ACCO UC 6601	115			17.7			96			01555						
ACC0 UC 8801	98	145		19.3	21.0		90	85		20210	23366					
ACC0 UC 9101	101	141		50.6	20.4		86	94		2525	22450					
B0=JAC EXP.78L	104			22.0			95			22736						
80-JAC EXP. 9199	137			24.9			94			23475						
80-JAC ×7L	131	156	125	21.5	55.6	23.6	93	94	9.7	21894	23914	24000				
COOP 8-318	107			23,1			93			20947						
DEKALB XL 64%	33			20.6			91			25315						

Table 10a. — Greenfield, Increased Planting Rate, continued

***************************************	TATAL VIELD	GRAIN MOTSTURE PERCENT	EMECT PLANTS PERCENT	PLANTS PER ACRE
BRAND AND VARIETY				
DEKALB XL 66*		19.6 22.0 21.1 23.1 23.4		
FUNKS G-4445 FUNKS G-4567 FUNKS G-4628 FUNKS G-4646*	116 102 116 113 115	17.8 18.7 22.5 20.8 20.9	95 86 94 93 93	21894 21473 21263 21157 21368
FUNKS G-4737	136 105 94 118 123	22.4 20.7 20.1 21.2 20.5	96 90 94 96 93	20842 22736 21894 22526 22631
GUTWEIN 88	127 77 104 109 110 131	21.9 18.1 18.4 16.4 19.0 20.5 20.2	96 90 81 95 96 95 93	21789 21157 22230 20105 23541 22315 20631
LESTER-PFISTER 64	112 112 112 124 114 182	20.0 20.9 22.9 19.7 22.6 22.3	95 91 95 95 98 98	28105 19894 20842 21789 20421 23814
MCCURDY MSX87 MCCURDY MSX88 MCNAIR 73003 MCNAIR X170 MCNAIR X180	102 120 166 124 131 116 117	20.9 23.6 21.9 22.6 24.6 20.4 20.1	95 91 97 81 94 95 93	20842 23263 23138 23111 21157 22315 21157
MCNAIR X190	98 108 107 115 126	23.0 21.6 18.5 20.8 20.n	93 93 90 95 96	22526 21684 23578 23052
MOEWS SM421	127 138 153 128 116 155	18.1 18.7 20.0 22.7 19.5 20.9 18.0	95 95 95 96 94 90 94	23157 22736 23682 22315 21578 23791 26526
MOEWS WM520	111 91 118 170 100 96	21.3 20.9 21.8 20.5 21.8 19.6	92 92 95 95 93	22631 20000 22315 23624 23578 21894
0'S GQLD SX450D	100 115 131 125 116	20.1 19.9 20.8 23.0 18.6	95 97 95 93 96	21578 23684 22105 22842 22421
PIUNEER 33694*	113 96 127 160 120 107 115	13.7 20,7 23.5 22,2 21.4 21.5 21.6	89 68 96 92 94 96 93	22105 21111 22631 22035 22526 21578 23368
STULL EXP. 8092SUPER-CROST 7772SUPER-CROST 8442ASUPER-CROST 867SUPER-CROST 879	125 100 149 84 100 125 102 143 119	18.2 18.7 20.4 20.2 19.2 20.5 17.8 20.2 20.9	94 95	22315 22736 23368 23111 23052 22210 20736 23190 22222
SUPER-CRØST SÖS TRØJAN TXS 113 TRØJAN TX 117 TRØJAN TXS 117 TRØJAN TXS 119	133 178 128 124 138 114 97 166 123	23.5 21.8 24.0 19.6 21.7 21.2 18.7 20.7 22.6	94 93 81 94 98 95 96 93 97	20842 23201 23777 23368 22953 21052 22210 23795 21578
TRUJAN IX 119A	122 104 110 150	20.9 19.4 20.1 20.8	94 95 96 100	19578 21473 21263 23709
AVERAGE UF 1973 ENTRIES	113 32 17	20,7	94 5	219¢1 2700

Table 11. — Southern Illinois: Brownstown (Planted at 18,000 plants per acre in 30-inch rows)

***************************************								CT PLA		*****	*****	*****
BRAND AND VARIFTY		TAL YI Bu./ACR			MAIST ERCENT			ERGENT		PLANT	SPER	ACRE
	1973	1972	1971	1973	1972			1972		1973	1972	1971
ACC7 ARG3616	94			17.5			100			18000		
ACC@ AR19775	105			17.0			100			17640		
ACCØ EXP. 71-6901	97 100			21.1			98 97			17640		
ACCO U 392	97	134		18.8	18.5		94	7 0		17160	17025	
					-							
ACC0 UC 8801	115 103	132		17.4	40 9		100 99	4.7		17280	10045	
ACCA UC 9701	103	134		17.7	18.7		100	63		18000	10003	
80-JAC EXP.6229	104			16,5			97			16560		
80-JAC ExP.7391	105			18.7			97			16680		
80-JAC EXP.9722	94			24.8			98			17520		
30-JAC X7L	102	4.4.0	474	19.5		46.5	100	7.0		17880		
80-JAC x83	99 121	110	131	18.1	19.4	18.2	100 95	39 93	61	17520		1////
FUNKS 26174	115	• / 3		18.7			98			17760	• • • • •	
FUNKS 26207	117			18.6			96			16080		
FUNKS G=4567	103			15.5			99			15720		
FUNKS G-4628	112			18.8			100			15240		
FUNKS G-4646	119			17.0			96 99			16440		
FUNKS G-4648	115			19.0			7 7			1,100		
FUNAS G-4737	108			19.2			96			17160		
FUNKS G-4757.	107			17.7			97 100			17640		
FUNKS GHO 605	97			18.6			97			17640		
GOLDEN MSX302	107			17.3			98			17040		
GUTNEIN 86	100			16.6			95			16800		
GUTWEIN 92	112			19.7			100			17760	. = . = .	
HOBLIT XRUUTA.	127	153			18.9		97 98	99 85		17040		
HØBLIT XR448A	140 98	137	126		17.7	18.6	98	95	85	17400		18000
MIGR# M-7072	118			17.6			95			17880		
M0EWS SM421	100			16.9			99			17640		
MOEWS SM622	107			19.9			97			16200		
MDEWS SM721	99	145	104		19.4	19.4	98 98	86	61	17280		17777
MOEWS \$M822	114	124		18.1	19.0		90	80		18000	1,101	
MUEWS WM429	108			15.7			99			17760		
MØEWS WM520	106 99			19.1			95 100			17160		
MOEWS WMA22	105			17.5			99			16800		
POCKLINGTON P-880	107			18.5			98			17400		
POCKLINGION P-7661	110			19.8			97			15840		
PRINCETON SX630	99			17.8			96			16440		
PRINCETON SX823	118	153	101		18.5	17.0	97 99	· 91	96	17880		17555
PRINCETAN SX85D	110 100	1,44		16.9	18.1		98	76		15720	10171	
STULL 8775X	112			21.9			96 100			16320		
TAYLUR-EVANS BINMASTER	112	118			18.3		99	76		17400	17993	
TAYLOR-EVANS SILAGEMASTER	102	150		19.0	19.1		100	80		17760	16482	
TROJAN TXS 111	108	131		13.7	18.1		98	71		18000	17595	
TRØJAN TX 113	9.5	149			50.5		98	77		18000		
TROJAN 1×S 113	91	126		18.5	19.0		98 97	85		17400	18019	
TROJAN 1X 117	103 107	133		18.1	18.1		97	69		17160	16000	
TROJAN TKS 119	116			19.8	, ,		98			18000		
TROJAN TX 1194	96			17.8			100			17760		
TROJAN TXS 124	98			17.6			97			16560		
AVERAGE OF 1975 ENTRIES	105			18.1			98			17141		
C. V.	24 13			1.5			5			2500		

Table 11a. — Southern Illinois: Brownstown, Increased Planting Rate (Planted at 22,000 plants per acre in 30-inch rows)

		IAL YI			noist			ESTEE		
BRAND AND VARIETY	F	AU. /ACR	F.	P	ERCENT			ERCENT		PLANTS PER ACRE
	1973	1972	1971	1973	1972	1971	1973	1972	1971	1973 1972 1971
ACCO EXP. 71=6901	111	166		19.2	17.0		98 99	75		21771
ACCG UC 6601	111	155		19.7	17.9		99	/5		20566 20625 21698
ACCO UC 9301	138			19.5			99			21539
ASGRAW RX100	131	159	60		19.3	17.4	97	74	56	20374 21592 21352
ASGROW RX115	106	147		19.2	18.4		96	74		21358 20857
BO-JAC EXP.9722	101	141		24.9 15.8	17 B		98 98	70		21005 21104 21788
60-JAC X7L	128	148	97	19.7		17.6	99	71	92	19990 20154 20705
BØ-JAC X62	111	180		17.5		.,,,	99	66	- 1	21813 19795
AM 44A										
80-JAC X83	127	136		18.4	4.0		97 98	84		20697
DEKALB XL 66*	128 115	126		21.2	18.9		99	84		21694 21928 20286
DEKALB XL 72A*	108			19.4			99			20659
DEKALB XL 81%	116			20.3			99			21533
F.S. 860*	105			21.4			99			21937
F.S. 884*	101			20.6			98 99			20885
FUNKS 26174 FUNKS 26207	108			19.4 18.5			98			21676 21298
FUNKS G=4567	120			16.1			95			21903
FUNKS G-4628	117			20.0			99			21366
FUNKS G-4646*	104			17.7			98			21921
FUNKS G-4648	108			18.4			98 99			21820
FUNKS G-4737***********************************	122 97			19,9 18.6			98			20332 21373
	71			10.0			70			513/3
FUNKS GHO 562	103			17.8			99			21329
FUNKS GHO 605	111			19.8			99			21640
GOLDEN SX304	121			21.4			99			21489
LESTER-PFISTER 27	109 106	146		15.6 19.0	16,9		97 97	87		20758 21189
PPO15/mm. 1016/ 71000000000000000000000	finb			170			71			20373
LESTER-PFISTER 61	120			19.9			98			21368
LESTER-PFISTER 64	118			19.1			98			20323
LESTER-PEISTER 74	103			18,5			99			21154
LESTER-PFISTER 76	108 115	148	100	20.9		40.0	99 99	94	0.4	21732 20830 17358 22000
MCCCKIII MCACCOOOOOOOOOOOOOOOO	172	fac	100	19.0	19.4	10.0	77	74	94	50930 1/339 55000
MCNAIR 225	109			18.6			96			22057
MCNAIR 73002	128			19,1			99			21058
MCNAIR S184	108			18,2			9.8			21592
MCNAIR S338	103			20.8			97 99			21492
MCNAIR X170	123			19.9			44			21971
MCNATR X180	103			17.3			98			21201
MCNAIR X190	120			19.4			99			20820
MCNAIR 4210	111			20.3			97			51055
MCNATR X214	119			18.5			100			25000
MCNAIR X233	107			21.3			96			18601
MCNAIR X300	109			8.05			98			21353
MIGRO M=6666	117	162		18.1	19.8		98	87		20964 21269
MIGRA M-7072	116	117		18.1	18.4		98	86		20956 20414
MOEWS SM421	115			17.1			99			21595
MOEWS \$M622	119			20.7			95			21074
MUEWS \$M822	123	140		18.0	17.9		98	83		20640 19639
MOEWS WM429	118	,		15.6			99	_		20509
MOEWS WM520	114			18.8			96			21140
MØEWS WM822	107			18.6			100			21295
0'S GOLD \$X3344	95			18.7			98			20435
0'S GALO SX4500	105			15.9			99			20354
0'S GULD SX5500	121			19.7			99			20758
P.A.G. SX 98*	123			19.4			99			21071
PIGNEEP 3334*	111			18.4			97			21737
PIONEEP 3369A*	122			18.4			98			21834
POCKLINGTON PX-R	97			19.0			100			21539
PRINCETON SX630	103			18.8			98			20583
PRINCETON SXP23	113	142		18.8	17.7		99	95		21559 21972
PRINCETON SYR50	119			18.4			98			21712
SUPER-CHAST 7772	112	142		17.1	17.6		99	83		21615 20841

Table 11a. — Brownstown, Increased Planting Rate, continued

-BRAND AND VARIETY	9	TAL YIELD GRAIN MUISTUME HU./ACRE PERCENT				PERCENT			ERECT PLANTS PERCENT			PLANTS PER ACRE		
			_							1973	1972	1971		
SUPER-CROST A2B2	120			55.9			9.8			205 49				
SUPER-GROST 8442A	113			19.2			99			21219				
SUPER-CROST S67	119			17.9			99			21211				
SUPER-CROST S79	122			16.8			9.7			21120				
TAYLOR-EVANS 6935	107			17.8			49			22293				
TAYLOR-EVANS CASHMAKER	112			17.7			99			20837				
TAYLOR-EVANS MASTERMAKER	120			1,05			9.8			19562				
TROJAN TX 113	105	136		1A.A	19.0		9.8	90		20417	21860			
TROJAN TXS 113	111	140	97	17.6	17.9	16.7	99	8.4	7.8	21312	21848	20921		
TRØJAN TX 117	120			18.9			9 4			21318				
TRØJAN TXS 119	120	137	94	19.3	18.6	18.0	91	77	94	psusa	22197	21137		
TROJAN TX 119A	117			17.0			9.0			21129				
TRØJAN TXS 124	119			17.7			90			20864				
WHISNAND 80	124	157		20.1	18.0		9.8	7.4		20309	21975			
WHISNAND 82	113	118		15.8	18.5		9.8	62		21256	21476			
WHISNAND 875	121			16.5			9.8			21664				
AVERAGE OF 1973 ENTRIES	114			14.9			99			21151				
L. 5. D	28			1.5			N's			N.S.				
C. V	12			3.0-3			• •			.,				

Table 12. — Extreme Southern Illinois Upland: Carbondale (Planted at 18,000 plants per acre in 30-inch rows)

BRAND AND VARIFTY	TOT	TAL Y	IELD	GRAIN		URE	ERE	CT PLA	NTS		S PER	
				1973						1973	1972	1971

ACCU AR03016	49	157		26.1	17.6		100	100		16403	14846	
ACC0 AR19775	19			22.1			99			17350		
ACCO AR19792	31			25.5			100			17545		
ACCO EXP. 71-6901	18			24.7			99			17688		
ACCO UC 9701	21	148		25.4	16.8		99	911		14693	15280	
BU-JAC EXP.9199	37			25.3			100			16702		
BØ-JAC XA3	47			23.8			98			16554		
CUKER, \$ 16	36			24.9			99			17196		
FUNKS 25262	29			23.1			100			15419		
FUNKS 25683	56			26,1			98			17317		
FUNKS 26174	31			26,1			98			17304		
FUNK\$ 26205	34			28.0			99			15924		
FUNKS G-4628	32 27			25.0			99 100			16746		
FUNKS G-4646	46			24.7			99			16232		
FUNKS 19=4040	чъ			K340			99			10636		
FUNKS G-4737	39			25.0			100			16579		
FUNKS G-4757	34			24.5			100			17680		
FUNKS G-4808	23			26.3			97			16370		
GOLDEN MSX302	46			22,7			99			17125		
MCCHRQY MSX85	30			24.8			98			17164		
MOEWS M7622	37	153			17.8		100	91		16867		
MUEWS MIRZZ	27	126			17.0		100	95		14552	14734	
MOEWS SM622	50			24.2			100	95		16400	45077	
MAENS SM822	23 28	166		24.4	18.1		99	75		17417	12015	
NUEWS WM822	ζ (1			E4 4 4			77			10712		
PRINCETUN 865	19			55*6			100			17374		
PRINCETON SX630	35			23.9			95			17344		
PRINCETON SXAOS	4.5	4 7 0	4 4 60	24,7	47 0	24.0	99	0.0		17146		40000
PRINCETON SX850	30	139	140		17.0		97	87 74		17427		
STULL 7208X	21	86	142	24.3	17.1	55.5	99	74	4.2	11600	15076	19000
STULL BOSS	37	146			17,8		100	95		16960	14760	
STULL 909ASP	28			24,6			98			16170		
STULL A775X	29			25.6			98 99			16053		
TAYLOR-EVANS BINNASTER	31	110		24.4	17.0		98	94		17108	13054	
TAYLOR-EVANS E-20-YA	31	110		64.1	17.0		70	7.4		10003	12000	
TROJAN TYS 111	19	160			16.9		100	92		16727	17001	
TRØJAN TX 117	51			24.7			100			16718		
TROJAN TXS 119	42			23.6			100			17082		
TROJAN TY 1194	15			55.8			99			17011		
TRAJAN TXS 124	23			24.7			99			16999		
WHISNAND 80	17	123			17.4		100	99		17364		
WHISNAND 82	26	178			17.3		96	97		17604	14671	
WHISNAND 875	19			53.5			98			17780		
AVERAGE OF 1973 ENTRIES	31			24.3			99			16873		
L. S. D	17			1.8			N.S.			2400		
C . V	36						•					

Table 12a. — Extreme Southern Illinois Upland: Carbondale, Increased Planting Rate (Planted at 22,000 plants per acre in 30-inch rows)

BRAND AND VARIETY	TOT B	AL YI	ELD	GRAIF'	MAIST ERCENT	TURE	ERE	CT PLA EKGENT	NT5	PLANTS PER	
	1973	1972	1971		1972	1971	19/3			1973 1972	1971
ACCØ AR19775	35			25.6			99			21766	
ACCO U 392	34 68	138		24.6	47 0		98	0.7		20050	
BO-JAC X91	63	150		25.2 24.0	1/.4		100 97	93		21009 19222	
COKER,S 16	56			22.1			99			20878 21282	
	30			C - 0 4			,,			61505	
DEKALB XL 372*	47			23.5			99			20532	
F.S. 860*	63			56.5			99			21532	
FUNKS 25262	52			25.7			9.8			21270	
FUNKS 25683	45 58			25.5			98 98			22133 21604	
	2.0			F (C. 0)			7.0			61004	
FUNKS 26205	44			26.3			99			21075	
FUNKS 26207	45			24.3			94			88805	
FUNKS 6-4628	49			56.5			98			20856	
FUNKS G=4648	44 56			24.8			9.8 9.8			20879	
	2.0			22.1			20			20955	
FUNKS G-4737	59			24.0			9.8			20952	
FUNKS G-4757 *	65			25.6			99			21666	
GOLDEN SX304	6.3			27.3			99			18982	
HØLDEN 1009	7 1	161	128	25.7	17,1	23.7	9.8	90	97	20874 20414 2	21514
LESTER-PFISTER 74	30			24.2			9.8			21415	
LESTER-PFISTER 76	44			25.2			98			21022	
MCNAIR 225	35			25.6			98			21185	
MCNATR 73002	29			25.5			98			21421	
MCNAIR \$184	29			23.3			98			20970	
MCNAIR S338	38			25.2			9.8			20706	
NONLES VIES											
MCNAIR X170	46 31			23.7			98 99			21292	
MCNAIR X190	43			23,4			100			20937	
MCNAIR X210	55			25.8			99			21086	
MCNAIR X214	35			24.5			98			21163	
MCNAIR X233	72 54			28.0			99			19014	
MCNAIR X300 MOEWS M7372	48	137	116	26.2 8.15	18.0	20.2	99 98	91	a .	21609	22000
MØEWS M7622	45	121	110	24.4	10 10	EU . E	98	71	5.0	21716 22119 2 20879	15000
MOEWS M7822	33	105			16.5		99	91		19530 16193	
MOEWS SM622	53	407		24.8			98			20299	
MDEWS WM822	38 44	197		23.9	16.4		99 98	94		21066 19624	
0.5 GOLD SX9900	49			25.1			98			21041	
P, A.G. SX 39*	30			25.2			98			21871	
				,							
P.A.G. SX 985	46			24.8			9.8			21749	
P.A.G. SX 520*	35 35			24.1			98			21688	
PIONEER 3334 * PIONEER 33694 *	50 60			24.5			98 98			21552	
PRINCETAN SX630	41			24.8			97			21570 21465	
	•			₩ N ₩ 19			, ,			£1402	
PRINCETON SX805	58			26.0			99			18821	
PRINCETON SX836	39	156			17.8		99	93		21629 19163	
PRINCETON SX850	61	103	106		17.7	21.1	98	91	93	20993 15102 2	1838
STULL 7075X	49			25.0			99			18417	
STULL EXP, 8092	38			24.8			99			20740	
TAYLOR-EVANS 6935	33			25.3			97			21607	
TAYLOR = EVANS MASTERMAKER	72			25.2			99			21078	
TROJAN TXS 113	51	151		24.5	17.1		98	91		21159 20763	
TROJAN TX 117	57	125		8,55			99	2 -		55063	
TRØJAN TXS 117	40	135		24.0	16.8		9.8	92		21549 20211	
TRØJAN TXS 119	50			24.3			100			30/100	
TRØJAN TX 119A	39			23.8			99			20400 20593	
TROJAN TXS 124	40			24.9			100			21629	
AVFRAGE OF 1973 ENTRIES	47			24.6			99			20977	
	34			1.5			V.S.			30nn	
L. S. D	36			5 (6.2)			4 7 4			3 3.	

Table 13. — Extreme Southern Illinois Bottomland: Dixon Springs (Planted at 20,000 plants per acre in 30-inch rows)

BRANO AND VARIETY	T0T	AL YI	ELO	GRAIN	MØIST ERCENT	URE	ERE P	CT PLA	NTS		S PER	
			1971	1973		1971	1973	1972	1971	1973	1972	1971
ACC0 AR03016	89	180			18.6		77	88		19393	17856	
ACC0 AR19775	107			31.0			93			50000		
ACCØ AR19792	8.8			35.2			47			50000		
ACC0 AR19793	98 99	169		33.4	77.0		84			50000		
ACCØ UC 9701	44	194		28.2	23.0		87	47		50000	17771	
80-JAC EXP.9722	106			35.2			81			19848		
80-JAC X83	137			30.4			9-3			20000		
BO-JAC X91	96			31.5			96			50000		
FUNKS 25262	118 136			34.9 30.4			83 96			19696		
10000 6011400000000000000000000000000000	120			30.4			90			19242		
FUNKS 26205	106			35.8			90			18939		
FUNKS 26207	124			28.4			85			19545		
FUNKS G-4628	107			26.9			96			19545		
FUNKS G=4646	84			31.2			88			19696		
FUNKS 6-4648	87			26.4			90			19242		
FUNKS G-4737	122			33.9			90			20000		
FUNKS G-4757	109			30.7			93			19848		
FUNKS G-4808	65			36.6			58			18636		
GOLDEN MSX302	136	175		28.0	18.2		92	88		19090	17545	
MCCURDY MSX85	116			25.5			90			S0000		
MØEWS SM622	128			31.9			92			19696		
MØENS SM821W	85	156		32.9	21.3		65	63		20000	17913	
MOEWS SMB22	126	176		59.5	20.5		81	77		20000	17774	
MØEWS SX101NW	70	186		37.5	18.8		71	90		50000		
MØERS SX303NW	111	152		34.5	18.0		95	74		18333	17277	
MOEWS WMASS	108			27.0			86			18939		
PUCKLINGTUN P-7661	94			30.2			79			15363		
PRINCETON 865	98			23.6			86			Souce		
PRINCETAN 990-A	113			28.2			66			19848		
PRINCETON SP935	93			32.7			93			S 0000		
PRINCETON SX630	128			27.6			8.7			19393		
PRINCETUN SX836	91	161	162	26.8	18.5	31.9	92	86	100	18333	17792	17777
PRINCETAN SX850	98	146	138	29.4	1.05	30.6	91	90	93	19696	17926	17333
PRINCETON SX910	146			33.3			92			17878		
STULL 555W	109	148	137	30.0	21.1	36.0	86	59	PA	Spund	17489	1/777
STULL 560#SP	115	149	116	30 a t	20.3	35.4	83	52	95	20000	1755A	18000
STULL 1208x	76	134	142	29.8	20.9	31.6	95	A3	93	50000		
STULL 8098X	107	132	122	28.2	19.6	31.4	81	92	90	19494		
STULL 850WSX	17	148	121	29.0	20.3	35.7	59	76	91	Sound		
STULL B775X	91	152	131	59.5	20.5	33.0	дц	79	97	50000	17264	18000
STULL EXP. 8233	9.8			31.2			以以			19242		
TAYLOR-EVANS BINMASTER	104			31.2			99			20000		
TAYLOR-EVANS E-20-YA	104	127			21.7		80	84		17575	18092	
TAYLUR-EVANS SILAGEMASTER	91	122			21.9		87	7 8		18636		
AUE 0.455 DE .4077 E. 2005												
AVFRAGE OF 1973 ENTRIES	107			30.5			86			19453		
C. V.	13			5.0			8			1900		
~ * * * * * * * * * * * * * * * * * * *	7											

Table 13a. — Extreme Southern Illinois Bottomland: Dixon Springs, Increased Planting Rate (Planted at 24,000 plants per acre in 30-inch rows)

BRAND AND VARIETY	TOTAL YIELD BU./ACRE	GRAIN MOISTURE PERCENT	ERECT PLANTS PERCENT	PLANTS PER ACRE
	1973 1972 19	1 1973 1972 1971	1973 1972 1971	1973 1972 1971
ACCU AR19775	113	31.5	`8 1	23555
ACCØ AR19792	137	32.0	58	24000
ACCU AR19793	97	30.1	70	22666
ACCO U 392	85	25.7	76	23555
ASGRAW RY100	130	31.6	91	21185
SGRAW RY115	96	28.0	28	22518
0-JAC EXP,9722	100	34.n	'90	24000
30-JAC X83	134	29.3	66	28962
30-JAC X91	104	27.1	92	22666
DEKALB XL 64%	115	25.5	84	22962

Table 13a. — Dixon Springs, Increased Planting Rate, continued

***************************************			IELD					ETFERS			*****	
BRAND AND VARIETY		BU. /AC		P	ERCENT		Ь	ERCENT	. "	PLANT	S PER	
	1973	1972	1971	1973	1972	1971	1973	1972	1971	1975	1972	
DEKALR XL 72A*	109			27.7			89			23407		
DEKALB XI. 81 *	104			29.8			85			55370		
FUNKS 25262	108			34.0			79			23555		
FUNKS 25683	84			32.6			48			25370		
FUNKS 26174	155			29.5			79			22518		
FUNKS 26205	9.8			32.9			74			24000		
FUNKS 26207	125			59.0			9.5			22518		
FUNKS G-4628	103			27.0			8.4			23703		
FUNKS G-4646* FUNKS G-4648	112			30.2 28.8			85 87			21629		
FUNKS G=4737	92 115			31.3 32.4			85 89			23851		
GOLDEN SX304	95			51.4			86			20444		
HULDEN H 1054	103			35.2			73			88805		
HOLDEN H 1027	102			28.5			54			22518		
	2			C 1 . ,			, ,			66310		
KAMPS 913-3	109			29.6			7 2			23851		
KAMPS 915K	118			31.h			75			24000		
LESTER-PEISTER 74	111			29.1			79			22370		
LESTER PETETER 74	101			25.6			8.8			23555		
LESTER-PEISTER 76	196			31.0			A 7			24000		
MCNAIR 225	92			30.4			73			23407		
MCNATR 73002	102			32.3			56			22518		
MCNAIR S184	9.8	150		27.7	18.0		89	79		24000	ORPSS	
MCNATE S338	117			51.4			85			21185		
MCNATE X170	188			25.9			94			21481		
MCNATR X180	70	150		24.5	21.4		7.8	28		22518	22454	
MCNATP X190	122	149		28.3	21.5		95	44		21037	23909	
MCNAIH X210	109	163		32.0	18.3		89	89		20444	23463	
MCNATR V214	126			29,5			6.6			24000		
MCHAIR X233	104			53.1			64			22518		
MCNAIR X300	119			32.0			A G			21481		
MOFWS SM622	118			30.5			64			50596		
MOENS SM822	109	144		27.5	17.5		81	8.4		20148	23059	
MOEWS WM822	105			26.3			83			21629		
MUNICY-CHIEF 3X-A9A	108			28.1			81			16592		
MUNCY=CHIEF SX662	112			27.6			93			22518		
MUNCY-CHIEF SX777	114			27.3			85			23851		
MUNCY-CHIEF SX-868	103			28.5			85			22074		
P. A.G. SY 83*	106			24.8			8.3			81755		
P.A.G. SY 98*	108			27.6			89			55666		
PIONEER 3334*	105			26.4			8.2			23407		
PINNFER 3369A*	124			27.9			85			22370		
PACKLINGTON P-7661	121	190		31 . A	19.7		75	7.2		50596	22258	
PRINCEIUN 990-A	91			27.6			76			23407		
PRINCETON SP935	94			32.7			86			23111		
PRINCETON SX630	115			26.3			96			21333		
PRINCETAN SXB05	109			59.5			89			99866		
PRINCETON SX805	104	156	187	28.7	19.5	28.6	94	56	100	22074	23648	23555
PRINCETON SX910	136			34.8			92			15111		
STURNY-GROW S/G 824	130			35.5			90			20592		
STURDY-GROW S/G 852	92	142		27.5	20.9		35	63		23851	23290	
STURDY-GRAW S/G 904W	113			32.4			72			20444		
STULL 7075x	123			31.6			89			55965		
STULL EXP. 8092	118			28.6			86			55965		
SUPER-CROST 7772	107	140	162	27.8	19.7	31.5	86	69	100	99925	23935	24000
SUPER-CHOST ARAP	102			30.8			73			23407		
SUPER-CRAST 8442	108	147			19.6		A3	41		55555	23715	
SUPER-CROST S79	104	158	155		19.0	31.3	84	54	94	23407		24000
TAYLOR-EVANS 6935	96			27.7	•	•	91			23851		
TAYLOR-EVANS MASTERMAKER	116			31.0			8.8			23703		
AVERAGE OF 1973 ENTRIES	109 30			29.5			81 26			22353 3700		
C. V	17			E . 7			, 0					









200 (100 to 100 to 100